Page 1/8




Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 31

Revision: 31.08.2020



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 31

Revision: 31.08.2020

Trade name: S57 WC-Reiniger Turbo

	(Contd. of page 1)
P303+P361	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water [or shower].
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Results of H	PBT and vPvB assessment
PBT: Not a	

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7647-01-0	hydrogen chloride	25%
EINECS: 231-595-7 Beg pr : 01-2110484862-27	♦ Skin Corr. 1B, H314;	-
Reg.m. 01-2119404002-27	Specific concentration timus. Skin Corr. 1B, 11514. $C \ge 25.\%$ Skin Irrit. 2; H315: 10 % $\leq C < 25.\%$	
	<i>Eye Irrit. 2; H319: 10 % ≤ C < 25 %</i>	
	STOT SE 3; H335: C ≥ 10 %	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• *After swallowing:* Drink plenty of water and provide fresh air. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 31

Revision: 31.08.2020

(Contd. of page 2)

Trade name: S57 WC-Reiniger Turbo

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. • 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

• Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

• Storage class: 8 B

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7647-01-0 hydrogen chloride

WEL Short-term value: 8 mg/m³, 5 ppm Long-term value: 2 mg/m³, 1 ppm

(gas and aerosol mists)

· DNELs

7647-01-0 hydrogen chloride

 Inhalative
 DNEL short term local effects
 15 mg/m3 (workers)

 DNEL long term local effects
 8 mg/m3 (workers)

· PNECs

7647-01-0 hydrogen chloride

PNEC	45 mg/l (intermittent release)
	36 mg/l (sewage plant)
PNEC aqua	36 mg/l (fresh water)
	45 mg/l (intermittent release) 36 mg/l (sewage plant) 36 mg/l (fresh water) 0.0036 mg/l (sea water)

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

• *Respiratory protection:*

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

GB

Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 31

Revision: 31.08.2020

(Contd. of page 3)

Trade name: S57 WC-Reiniger Turbo

· Protection of hands:



Protective gloves

EN 374 • Material of gloves

Rubber gloves

Recommended thickness of the material: $\geq 0.5 \text{ mm}$

· Penetration time of glove material

≥8h

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

Appearance:		
Form:	Fluid	
Colour:	Colourless	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value at 20 °C:	0.5	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	e: 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.12 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
i annon coefficient. n'ocanol/mater.		(Contd. on p

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 31

Revision: 31.08.2020

Trade name: S57 WC-Reiniger Turbo

		(Contd. of page 4)
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Water:	75.0 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

7647-01-0 hydrogen chloride Oral LD50 900 mg/kg (Rabbit)

• Primary irritant effect:

Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eve damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

• *Carcinogenicity Based on available data, the classification criteria are not met.*

• Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

7647-01-0 hydrogen chloride

LC50 4.2-4.7 mg/l (Rat)

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 31

Revision: 31.08.2020

Trade name: S57 WC-Reiniger Turbo

(Contd. of page 5)

Must not reach sewage water or drainage ditch undiluted or unneutralised. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· 12.5 Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Dilute concentrate with water and neutralise afterwards with suitable alkali material (sodium hydroxide solution, lime). The formed neutral salts are relatively environment-friendly.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• European	waste	catalogue
------------	-------	-----------

20 00 00	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL
	AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20.01.00	

20 01 00 separately collected fractions (except 15 01)

20 01 29* detergents containing hazardous substances

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. • *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

· 14.1 UN-Number · ADR, IMDG, IATA	UN1789	
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1789 HYDROCHLORIC ACID HYDROCHLORIC ACID	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA		
· Class	8 Corrosive substances.	
· Label	8	
· 14.4 Packing group · ADR, IMDG, IATA	II	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
	Warning: Corrosive substances.	

Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 31

Revision: 31.08.2020

Trade name: S57 WC-Reiniger Turbo

	(Contd. of page
· Stowage Category	Ε
· 14.7 Transport in bulk according to Ann	nex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
• Tunnel restriction code	Ε
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID, 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. · Abbreviations and acronvms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 8)

GR

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 31

Revision: 31.08.2020

Trade name: S57 WC-Reiniger Turbo

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 · * **Data compared to the previous version altered.**

(Contd. of page 7)