Page 1/7




Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 4

Revision: 31.08.2020



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 4

Revision: 31.08.2020

Trade name: Z132 Duftöl tropic

	(Contd. of page 1)
P303+P36	1+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P205+P25	1+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
1 505 +1 55	present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Results of	PBT and vPvB assessment
· PBT: Not a	

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components:

 CAS: 67-63-0
 propan-2-ol
 25-50%

 EINECS: 200-661-7
 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336
 25-50%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• 6.4 Reference to other sections No dangerous substances are released. See Section 7 for information on safe handling.

(Contd. on page 3)

GB

Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 4

Revision: 31.08.2020

(Contd. of page 2)

Trade name: Z132 Duftöl tropic

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- · Information about fire and explosion protection:
- Keep ignition sources away Do not smoke.

Protect against electrostatic charges.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

011 0011110						
· Ingredients with limit values that require monitoring at the workplace:						
67-63-0 propan-2-ol						
WEL Short-term value: 1250 mg/m ³ , 500 ppm						
Long	Long-term value: 999 mg/m ³ , 400 ppm					
·DNELs						
67-63-0 propan-2-ol						
Oral	DNEL long term systemic effects	26 mg/kg bw/day (general population)				
Dermal	DNEL long term systemic effects	319 mg/kg bw/day (general population)				
		888 mg/kg bw/day (workers)				
Inhalative	DNEL long term systemic effects	89 mg/m3 (general population)				
		500 mg/m3 (workers)				
PNECs						
67-63-0 propan-2-ol						
PNEC	140.9 mg/l (intermittent rel	140.9 mg/l (intermittent release)				
	2,251 mg/l (sewage plant)					
PNEC aqu	140.9 mg/l (fresh water)					

PNEC aqua140.9 mg/l (fresh water)140.9 mg/l (sea water)PNEC sediment552 mg/kg (fresh water)552 mg/kg (sea water)PNEC ground28 mg/kg (ground)

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection: Not required.

· Protection of hands: Protective gloves and protective skin cream

· Material of gloves Rubber gloves

(Contd. on page 4)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 4

Revision: 31.08.2020

(Contd. of page 3)

Trade name: Z132 Duftöl tropic

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and cl • General Information	nemicai properties			
· Appearance:				
Form:	Fluid			
Colour:	Colourless			
· Odour:	Characteristic			
· Odour threshold:	Not determined.			
· pH-value at 20 °C:	6			
•	0			
· Change in condition				
Melting point/freezing point:	Undetermined.			
Initial boiling point and boiling range:	· 82 °C			
· Flash point:	13 °C			
· Flammability (solid, gas):	Not applicable.			
· Ignition temperature:	425 °C			
· Decomposition temperature:	Not determined.			
• Auto-ignition temperature:	Product is not selfigniting.			
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.			
• Explosion limits:				
Lower:	2 Vol %			
Upper:	12 Vol %			
· Vapour pressure at 20 °C:	43 hPa			
· Density at 20 °C:	0.959 g/cm ³			
· Relative density	Not determined.			
· Vapour density	Not determined.			
· Evaporation rate	Not determined.			
· Solubility in / Miscibility with				
water:	Fully miscible.			
· Partition coefficient: n-octanol/water:	Not determined.			
· Viscosity:				
Dynamic:	Not determined.			
Kinematic at 20 °C:	10 s (DIN 53211/4)			
Organic solvents:	33.0 %			
Water:	58.4 %			
• 9.2 Other information	No further relevant information available.			

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

GB

Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 4

Revision: 31.08.2020

(Contd. of page 4)

Trade name: Z132 Duftöl tropic

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

Oral LD50 5,280 mg/kg (Rat)

Dermal LD50 17,600 mg/kg (Rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

67-63-0 propan-2-ol

EC50 (48h) 13,299 mg/l (Daphnia magna)

LC50 (96h) 9,640 mg/l (Pimephales promelas)

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 4

Revision: 31.08.2020

Trade name: Z132 Duftöl tropic

(Contd. of page 5)

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

-	
	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL
	AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00	separately collected fractions (except 15 01)
20 01 29*	detergents containing hazardous substances

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. • *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name · ADR	1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOI (ISOPROPYL ALCOHOL))
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOI (ISOPROPYL ALCOHOL))
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	111
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
• Hazard identification number (Kemler code):	33
· EMS Number: · Stowage Category	F-E, <u>S-E</u> A
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	y Not applicable.
• Transport/Additional information:	
· ADR	
Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 50 ml Maximum net quantity per outer packaging: 1000 ml
	(Contd. on page 2

Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 4

Revision: 31.08.2020

Trade name: Z132 Duftöl tropic

	(Contd. of page 6)
• Transport category • Tunnel restriction code	3 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations:

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

perfumes, non-ionic surfactants, preservation agents (PYRITHIONE SODIUM, <5% BENZISOTHIAZOLINONE)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.