

**Safety data sheet**  
according to 1907/2006/EC, Article 31



Printing date 17.04.2018

Version number 3

Revision: 17.04.2018

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name: T71 Farbentferner**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Cleaning material/ Detergent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Lasala AG  
Wehntalerstrasse 113  
8105 Regensdorf
- **Further information obtainable from:** info@lasala.ch
- **1.4 Emergency telephone number:**  
Centre suisse d'information toxicologique, Zurich  
+41 (0)44 251 51 51 ou 145 (depuis la Suisse)  
Schweizerisches Toxikologisches Informationszentrum, Zürich  
+41 (0)44 251 51 51 oder aus der Schweiz: Tel 145  
Centro Svizzero d'informazione tossicologica  
+41 (0)44 251 51 51 o dalla Svizzera: Tel 145

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3      H226      Flammable liquid and vapour.



GHS08 health hazard

Repr. 1B      H360D      May damage the unborn child.



GHS09 environment

Aquatic Chronic 2 H411      Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4      H332      Harmful if inhaled.  
 Skin Irrit. 2      H315      Causes skin irritation.  
 Eye Irrit. 2      H319      Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.04.2018

Version number 3

Revision: 17.04.2018

**Trade name: T71 Farbentferner**

(Contd. of page 1)

- **Hazard pictograms** GHS02, GHS07, GHS08, GHS09
- **Signal word** Danger

- **Hazard-determining components of labelling:**

2-butoxyethanol  
N-methyl-2-pyrrolidone  
Benzyl alcohol

- **Hazard statements**

H226 Flammable liquid and vapour.  
H332 Harmful if inhaled.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H360D May damage the unborn child.  
H411 Toxic to aquatic life with long lasting effects.

- **Precautionary statements**

P102 Keep out of reach of children.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	2-(2-butoxyethoxy)ethanol ⚠ Eye Irrit. 2, H319	25-50%
EC number: 923-037-2 Reg.nr.: 01-2119471991-29	Naphtha (petroleum), heavy alkylate ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411	25%
CAS: 111-76-2 EINECS: 203-905-0 Reg.nr.: 01-2119475108-36	2-butoxyethanol ⚠ Acute Tox. 4, H302; ⚠ Acute Tox. 4, H312; ⚠ Acute Tox. 4, H332; ⚠ Skin Irrit. 2, H315; ⚠ Eye Irrit. 2, H319	10-20%
CAS: 100-51-6 EINECS: 202-859-9 Reg.nr.: 01-2119492630-38	Benzyl alcohol ⚠ Acute Tox. 4, H302; ⚠ Acute Tox. 4, H312; ⚠ Acute Tox. 4, H332; ⚠ Eye Irrit. 2, H319	10-20%
CAS: 872-50-4 EINECS: 212-828-1 Reg.nr.: 01-2119472430-46	N-methyl-2-pyrrolidone ⚠ Repr. 1B, H360D; ⚠ Skin Irrit. 2, H315; ⚠ Eye Irrit. 2, H319; ⚠ STOT SE 3, H335	2.5-5%

- **SVHC**

872-50-4 N-methyl-2-pyrrolidone

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

GB

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.04.2018

Version number 3

Revision: 17.04.2018

Trade name: T71 Farbentferner

(Contd. of page 2)

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### \* SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** 3

(Contd. on page 4)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.04.2018

Version number 3

Revision: 17.04.2018

Trade name: T71 Farbentferner

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

**SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

## · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

**112-34-5 2-(2-butoxyethoxy)ethanol**

WEL	Short-term value: 101.2 mg/m <sup>3</sup> , 15 ppm Long-term value: 67.5 mg/m <sup>3</sup> , 10 ppm
-----	--

**111-76-2 2-butoxyethanol**

WEL	Short-term value: 246 mg/m <sup>3</sup> , 50 ppm Long-term value: 123 mg/m <sup>3</sup> , 25 ppm Sk, BMGV
-----	---

**872-50-4 N-methyl-2-pyrrolidone**

WEL	Short-term value: 80 mg/m <sup>3</sup> , 20 ppm Long-term value: 40 mg/m <sup>3</sup> , 10 ppm Sk
-----	---

## · DNELs

**111-76-2 2-butoxyethanol**

Oral	DNEL long term systemic effects	3.2 mg/kg bw/day (general population)
	DNEL short term systemic effects	13.4 mg/kg (general population)
Dermal	DNEL long term systemic effects	38 mg/kg bw/day (general population) 75 mg/kg bw/day (workers)
	DNEL short term systemic effects	44.5 mg/kg (general population) 89 mg/kg (workers)
Inhalative	DNEL long term systemic effects	49 mg/m <sup>3</sup> (general population) 98 mg/m <sup>3</sup> (workers)
	DNEL short term local effects	123 mg/m <sup>3</sup> (general population) 246 mg/m <sup>3</sup> (workers)
	DNEL short term systemic effects	426 mg/m <sup>3</sup> (general population) 633 mg/m <sup>3</sup> (workers)

**872-50-4 N-methyl-2-pyrrolidone**

Dermal	DNEL long term systemic effects	19.8 mg/kg bw/day (workers)
Inhalative	DNEL long term systemic effects	40 mg/m <sup>3</sup> (workers)

## · PNECs

**111-76-2 2-butoxyethanol**

PNEC	3.13 mg/l (ground) 9.1 mg/l (intermittent release) 463 mg/l (sewage plant)	
	PNEC aqua	8.8 mg/l (fresh water) 0.88 mg/l (sea water)
	PNEC sediment	34.6 mg/kg (fresh water) 3.46 mg/kg (sea water)
PNEC ground	3.13 mg/kg (ground)	

**100-51-6 Benzyl alcohol**

PNEC	2.3 mg/l (intermittent release)
------	---------------------------------

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.04.2018

Version number 3

Revision: 17.04.2018

**Trade name: T71 Farbentferner**

(Contd. of page 4)

<i>PNEC aqua</i>	39 mg/l (sewage plant) 1 mg/l (fresh water) 0.1 mg/l (sea water)
<i>PNEC sediment</i>	5.27 mg/kg (fresh water) 527 mg/kg (sea water)
<i>PNEC ground</i>	456 mg/kg (ground)

**872-50-4 N-methyl-2-pyrrolidone**

<i>PNEC</i>	5 mg/l (intermittent release) 10 mg/l (sewage plant)
<i>PNEC aqua</i>	0.25 mg/l (fresh water) 25 mg/l (sea water)
<i>PNEC sediment</i>	805 mg/kg (fresh water) 0.0805 mg/kg (sea water)
<i>PNEC ground</i>	138 mg/kg (ground)

**· Ingredients with biological limit values:****111-76-2 2-butoxyethanol**

<i>BMGV</i>	240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid
-------------	---

· **Additional information:** The lists valid during the making were used as basis.

**· 8.2 Exposure controls****· Personal protective equipment:****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.

**· Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**· Protection of hands:** Not required.**· Material of gloves:** Rubber gloves**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye protection:** Goggles recommended during refilling**SECTION 9: Physical and chemical properties****· 9.1 Information on basic physical and chemical properties****· General Information****· Appearance:**

<b>Form:</b>	Fluid
<b>Colour:</b>	Colourless
<b>· Odour:</b>	Characteristic
<b>· Odour threshold:</b>	Not determined.

<b>· pH-value:</b>	Not determined.
--------------------	-----------------

**· Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
--------------------------------------	---------------

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.04.2018

Version number 3

Revision: 17.04.2018

Trade name: T71 Farbentferner

(Contd. of page 5)

<b>Initial boiling point and boiling range:</b> 100 °C	
· <b>Flash point:</b>	46 °C
· <b>Flammability (solid, gas):</b>	Not applicable.
· <b>Ignition temperature:</b>	225 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto-ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <b>Explosion limits:</b>	
<b>Lower:</b>	0.7 Vol %
<b>Upper:</b>	13 Vol %
· <b>Vapour pressure at 20 °C:</b>	1.2 hPa
· <b>Density at 20 °C:</b>	0.906 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Fully miscible.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Organic solvents:</b>	65.0 %
<b>Water:</b>	2.0 %
· <b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**

· **Acute toxicity**  
Harmful if inhaled.

- **LD/LC50 values relevant for classification:**

**Naphtha (petroleum), heavy alkylate**

Oral	LD50	>6,000 mg/kg (Rat)
------	------	--------------------

Dermal	LD50	>3,000 mg/kg (Rabbit)
--------	------	-----------------------

**111-76-2 2-butoxyethanol**

Oral	LD50	1,746 mg/kg (Rat)
------	------	-------------------

(Contd. on page 7)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.04.2018

Version number 3

Revision: 17.04.2018

**Trade name: T71 Farbentferner**

(Contd. of page 6)

Dermal	LD50	2,270 mg/kg (rab)
Inhalative	LC50/4 h	2-20 mg/l (Rat)
<b>100-51-6 Benzyl alcohol</b>		
Oral	LD50	1,230 mg/kg (Rat)
Dermal	LD50	2,000 mg/kg (Rabbit)
<b>872-50-4 N-methyl-2-pyrrolidone</b>		
Oral	LD50	3,914 mg/kg (Rat)
Dermal	LD50	8,000 mg/kg (Rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity**  
May damage the unborn child.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### · 12.1 Toxicity

#### · Aquatic toxicity:

<b>111-76-2 2-butoxyethanol</b>		
EC50 (24h)	1,720 mg/l (Daphnia magna)	
EC50 (7d)	>100 mg/l (Scenedesmus subspicatus)	
LC50 (96h)	1,490 mg/l (Lepomis macrochirus)	
<b>100-51-6 Benzyl alcohol</b>		
EC50 (24h)	400 mg/l (Daphnia magna)	
LC50 (96h)	10 mg/l (Lepomis macrochirus)	
<b>872-50-4 N-methyl-2-pyrrolidone</b>		
EC50 (48h)	4,897 mg/l (Daphnia magna)	
LC50 (96h)	832 mg/l (Lepomis macrochirus)	

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

GB

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.04.2018

Version number 3

Revision: 17.04.2018

Trade name: T71 Farbentferner

(Contd. of page 7)

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

20 00 00	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00	separately collected fractions (except 15 01)
20 01 29*	detergents containing hazardous substances

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, IMDG, IATA**

UN1993

· **14.2 UN proper shipping name**

· **ADR**

1993 FLAMMABLE LIQUID, N.O.S. (Isopar G), ENVIRONMENTALLY HAZARDOUS

· **IMDG**

FLAMMABLE LIQUID, N.O.S. (Isopar G), MARINE POLLUTANT

· **IATA**

FLAMMABLE LIQUID, N.O.S. (Isopar G)

· **14.3 Transport hazard class(es)**

· **ADR, IMDG**



· **Class**

3 Flammable liquids.

· **Label**

3

· **IATA**



· **Class**

3 Flammable liquids.

· **Label**

3

· **14.4 Packing group**

· **ADR, IMDG, IATA**

III

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

Symbol (fish and tree)

· **Special marking (ADR):**

Symbol (fish and tree)

· **14.6 Special precautions for user**

Warning: Flammable liquids.

· **Danger code (Kemler):**

30

(Contd. on page 9)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.04.2018

Version number 3

Revision: 17.04.2018

**Trade name: T71 Farbentferner**

(Contd. of page 8)

· <b>EMS Number:</b>	F-E S-E
· <b>Stowage Category</b>	A
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	D/E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPAR G), 3, III, ENVIRONMENTALLY HAZARDOUS

### SECTION 15: Regulatory information

#### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**  
E2 Hazardous to the Aquatic Environment  
P5c FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 29, 55
- **National regulations:**
- **Other regulations, limitations and prohibitive regulations**

#### · **Substances of very high concern (SVHC) according to REACH, Article 57**

872-50-4 | N-methyl-2-pyrrolidone

#### · **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

aliphatic hydrocarbons	≥15 - <30%
non-ionic surfactants	≥5 - <15%

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · **Relevant phrases**

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.04.2018

Version number 3

Revision: 17.04.2018

**Trade name: T71 Farbentferner**

(Contd. of page 9)

*H319 Causes serious eye irritation.**H332 Harmful if inhaled.**H335 May cause respiratory irritation.**H360D May damage the unborn child.**H411 Toxic to aquatic life with long lasting effects.*

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (REACH)*

*PNEC: Predicted No-Effect Concentration (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*SVHC: Substances of Very High Concern*

*vPvB: very Persistent and very Bioaccumulative*

*Flam. Liq. 3: Flammable liquids – Category 3*

*Acute Tox. 4: Acute toxicity – Category 4*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*

*Repr. 1B: Reproductive toxicity – Category 1B*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

*Asp. Tox. 1: Aspiration hazard – Category 1*

*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

· **\* Data compared to the previous version altered.**