Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31



Revision: 31.08.2020

Printing date 31.08.2020

Version number 57

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: S40 Kalkentferner m. Reinigungsw.
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Toilet cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Lasala AG

Wehntalerstrasse 113

8105 Regensdorf

- · Further information obtainable from: info@lasala.ch
- · 1.4 Emergency telephone number:

Centre suisse d'information toxicologique, Zurich

+41 (0)44 251 51 51 ou 145 (depuis la Suisse)

Schweizerisches Toxikologisches Informationszentrum, Zürich

+41 (0)44 251 51 51 oder aus der Schweiz: Tel 145

Centro Svizzero d'informazione tossicologica

+41 (0)44 251 51 51 o dalla Svizzera: Tel 145

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS07
- · Signal word Warning
- Hazard-determining components of labelling:

phosphoric acid

· Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P102 Keep out of reach of children. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

P337+P313 If eye irritation persists: Get no Results of PBT and vPvB assessment

· **PBT:** Not applicable.

(Contd. on page 2)

Printing date 31.08.2020 Version number 57 Revision: 31.08.2020

Trade name: S40 Kalkentferner m. Reinigungsw.

· vPvB: Not applicable.

(Contd. of page 1)

10-20%

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 7664-38-2 pho EINECS: 231-633-2

phosphoric acid

📀 Skin Corr. 1B, H314; 🕠 Acute Tox. 4, H302

Reg.nr.: 01-2119485924-24 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %

Skin Irrit. 2; H315: $10 \% \le C < 25 \%$ Eye Irrit. 2; H319: $10 \% \le C < 25 \%$

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.

(Contd. on page 3)

Printing date 31.08.2020 Version number 57 Revision: 31.08.2020

Trade name: S40 Kalkentferner m. Reinigungsw.

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 8 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:					
7664-38-2	7664-38-2 phosphoric acid				
WEL Shor	WEL Short-term value: 2 mg/m³				
Long	Long-term value: 1 mg/m³				
· DNELs	DNELs				
7664-38-2	7664-38-2 phosphoric acid				
Inhalative	DNEL long term systemic effects	1 mg/m3 (workers)			
	DNEL long term local effects	0.72 mg/m3 (general population)			
		1 mg/m3 (workers)			

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:

EN 374



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· As protection from splashes gloves made of the following materials are suitable:

Rubber gloves


Neoprene gloves

(Contd. on page 4)

Printing date 31.08.2020 Version number 57 Revision: 31.08.2020

Trade name: S40 Kalkentferner m. Reinigungsw.

· Eye protection:



(Contd. of page 3)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid Colour: Red

· Odour: Characteristic · Odour threshold: Not determined.

• pH-value at 20 °C: 0.5

· Change in condition

Melting point/freezing point: -2 °C Initial boiling point and boiling range: 100 °C

Flash point: Not applicable.Flammability (solid, gas): Not applicable.

Decomposition temperature: Not determined.
 Auto-ignition temperature: Product is not selfigned.

• Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Not determined.

Explosion limits: Lower:

 Upper:
 Not determined.

 Vapour pressure at 20 °C:
 23 hPa

 Description of 20 °C:
 1.115 c/cm²

Density at 20 °C:
 Relative density
 Vapour density
 Evaporation rate
 1.115 g/cm³
 Not determined.
 Not determined.
 Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

 Dynamic:
 Not determined.

 Kinematic at 20 °C:
 10 mm²/s

 Organic solvents:
 0.0 %

 Water:
 73.5 %

 Solids content:
 19.5 %

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 5)

Printing date 31.08.2020 Version number 57 Revision: 31.08.2020

Trade name: S40 Kalkentferner m. Reinigungsw.

(Contd. of page 4)

- · 10.3 Possibility of hazardous reactions Reacts with alkali (lyes).
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

7664-38-2 phosphoric acid

Oral LD50 1,700 mg/kg (Mouse)
1,530 mg/kg (Rat)
2,740 mg/kg (Rabbit)
Dermal LD50 2,740 mg/kg (Rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

7664-38-2 phosphoric acid

EC50 (48h) >100 mg/l (Daphnia magna) (OECD 202)

EC50 (72h) >100 mg/l (Desomdemus subspicatus)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

Version number 57 Revision: 31.08.2020 *Printing date 31.08.2020*

Trade name: S40 Kalkentferner m. Reinigungsw.

(Contd. of page 5)

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Dilute concentrate with water and neutralise afterwards with suitable alkali material (sodium hydroxide solution, lime). The formed neutral salts are relatively environment-friendly.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

	· European	· European waste catalogue		
		MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS		
	20 01 00	separately collected fractions (except 15 01)		
20 01 29* detergents containing hazardous substances				

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number	
ADR, IMDG, IATA	UN3264
14.2 UN proper shipping name	
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIO
	N.O.S. (PHOSPHORIC ACID, SOLUTION)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
·	(PHOSPHORIC ACID, SOLUTION)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	8 Corrosive substances.
Lahel	8 Corrosive substances.
Lavel	0
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F- A , S - B
Segregation groups	Acids
	A
Stowage Category Stowage Code	SW2 Clear of living quarters.

(Contd. on page 7)

Printing date 31.08.2020 Version number 57 Revision: 31.08.2020

Trade name: S40 Kalkentferner m. Reinigungsw.

	(Contd. of page 6
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
• • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC
-	N.O.S. (PHOSPHORIC ACID, SOLUTION), 8, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· National regulations:

Regulation (EC) No 648/2004 on detergents / Labelling for contents		
non-ionic surfactants	≥5 - <15%	
perfumes	<5%	

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral - Category 4

(Contd. on page 8)

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020 Version number 57 Revision: 31.08.2020

Trade name: S40 Kalkentferner m. Reinigungsw.

(Contd. of page 7)

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 ** Data compared to the previous version altered.