Page 1/8

\*



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

GB

CTION 1: Identification of the substance/mixture and of the company/n   Product identifier   ade name: Z131 Chlortabletten   Relevant identified uses of the substance or mixture and uses advised against further relevant information available.   plication of the substance / the mixture   saming material/Detergent   xiliary   Details of the supplier of the safety data sheet   imufacturer/Supplier:   sala AG   interstrasse 113   D5 Regensdorf   rther information obtainable from: info@lasala.ch   Emergency telephone number:   into Svizero d'information toxicologique, Zurich   1 (0)44 251 51 51 ou 145 (depuis ta Suisse)   into Svizero d'information toxicologica   1 (0)44 251 51 oder aus der Schweiz: Tel 145   Stricovero d'informacione tossicologica   1 (0)44 251 51 oder aus der Schweiz: Tel 145   CTION 2: Hazards identification   Classification of the substance or mixture   resplication according to Regulation (EC) No 1272/2008   GHS07   uatic Acute 1 H400 Very toxic to aquatic life with long lasting effects.   of H302 H335 May cause respiratory irritation.   OT SE 3 H335 May cause respiratory irritation.	vision: 31.08.20
Advector 131 Chlortabletten   Relevant identified uses of the substance or mixture and uses advised against further relevant information available. ploteation of the substance or mixture and uses advised against further relevant information available.   Polication of the substance or the mixture and uses advised against further relevant information available. plotable.   Polication of the substance or the safety data sheet initiaterstrasse 113 DS Regensed of   Particle of the formation obtainable from: info@lasala.ch Emergency telephone number:   Intre subsed 'information toxicologique, Zurich 1 (0)44 251 51 51 ou 145 (depuis ta Suisse)   Investige of 'information toxicologique, Zurich 1 (0)44 251 51 51 ou 145 (depuis ta Suisse)   Investige of 'information toxicologica 1 (0)44 251 51 51 ou dala Svizzera: Tel 145   CCTION 2: Hazards identification Classification of the substance or mixture   resplication according to Regulation (EC) No 1272/2008 Classification according to Regulation (EC) No 1272/2008   V GHS07 GHS07   uatic Acute 1 H302 Harmful if swallowed.   e Irrit. 2 H319 Causes serious eye irritation.   OT SE 3 H335 May cause respiratory irritation.   OT SE 3 H335 May cause respiratory irritation.   Cassified and labelled according to the CLP regulation.	undertaking
Relevant identified uses of the substance or mixture and uses advised against further relevant information available.   further relevant information available.   plication of the substance / the mixture evaning material/ Detergent sultary <b>Details of the supplier of the safety data sheet undactiver/Supplier:</b> sala AG <b>Chails of the supplier of the safety data sheet undactiver/Supplier:</b> sala AG <b>Chails of the supplier of the safety data sheet undactiver/Supplier:</b> sala AG <b>Chails of the supplier of the safety data sheet undactiver/Supplier:</b> sala AG <b>Chails of the supplier of the safety data sheet undactiver/Supplier:</b> sala AG <b>Chails of the supplier of the safety data sheet undactiver/Supplier:</b> sala AG <b>ther information obtainable from:</b> info@lasala.ch <b>Emergency telephone number: ther information toxicologique</b> , Zurich   1 (0)44 251 51 51 oul 145 (depuis la Suisse)   It (0)44 251 51 51 oder aus der Schweiz: Tel 145 <b>Chassification of the substance or mixture try of the Regulation (EC) No 1272/2008 Gettor 1 t</b> (0)44 251 51 <b>t</b> (0)42 251 <b>t</b> (0)42 251 <b>t</b> (0)42 251 <b>t</b> (0)42 251	
Details of the supplier of the safety data sheet inufacturer/Supplier: sala AG whitalerstrasse 113 D5 Regensdorf rther information obtainable from: info@lasala.ch Emergency telephone number: ntre suisse d'information toxicologique, Zurich 1 (0)44 251 51 51 ou 145 (depuis la Suisse) weizerisches Toxikologisches Informationszentrum, Zürich 1 (0)44 251 51 51 oder aus der Schweiz: Tel 145 ntro Svizzero d'informazione tossicologica 1 (0)44 251 51 51 od alla Svizzera: Tel 145 <b>ECTION 2: Hazards identification</b> <b>Classification of the substance or mixture</b> restification of the substance or mixture restification according to Regulation (EC) No 1272/2008 <b>ECTION 2:</b> Hazen fully if swallowed. the Tox. 4 H302 Harmful if swallowed. e Irrit. 2 H319 Causes serious eye irritation. OT SE 3 H335 May cause respiratory irritation. <b>Label elements</b> <b>beling according to Regulation (EC) No 1272/2008</b> e product is classified and labelled according to the CLP regulation. <b>Cause of the substance of the substance</b> e product is classified and labelled according to the CLP regulation. <b>Cause of the substance of tabelling:</b> closene sodium, dihydrate	
Emergency telephone number:   ntre suisse d'information toxicologique, Zurich   1 (0)44 251 51 51 ou 145 (depuis la Suisse)   tweizerisches Toxikologisches Informationszentrum, Zürich   1 (0)44 251 51 51 oder aus der Schweiz: Tel 145   ntro Svizzero d'informazione tossicologica   1 (0)44 251 51 51 oder aus der Schweiz: Tel 145   ntro Svizzero d'informazione tossicologica   1 (0)44 251 51 51 odalla Svizzera: Tel 145   CCTION 2: Hazards identification   Classification of the substance or mixture   tssification according to Regulation (EC) No 1272/2008   Image: Statistic Chronic 1 H400 Very toxic to aquatic life.   uatic Acute 1 H400 Very toxic to aquatic life with long lasting effects.   Image: Statistic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.   Image: Statistic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.   Image: Statistic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.   Image: Statistic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.   Image: Statistic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.   Image: Statistic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.   Image: Statistic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.   Image: Statistic Chronic 1 H410	
ntre suisse d'information toxicologique, Zurich 1 (0)44 251 51 51 ou 145 (depuis la Suisse) hweizerisches Toxikologisches Informationszentrum, Zürich 1 (0)44 251 51 51 oder aus der Schweiz: Tel 145 ntro Svizzero d'informazione tossicologica 1 (0)44 251 51 51 o dalla Svizzera: Tel 145 <b>ECTION 2: Hazards identification</b> <b>Classification of the substance or mixture</b> <b>Institution according to Regulation (EC) No 1272/2008</b> <b>Constitution according to Regulation (EC) No 1272/2008</b> <b>Constitution according to Regulation (EC) No 1272/2008</b> <b>Constitution according to Constitute according effects.</b> <b>Constitution according to Select to aquatic life.</b> <b>Institution according to Select to aquatic life.</b> <b>Institution according to Select to aquatic life with long lasting effects.</b> <b>Constitution according to Regulation (EC) No 1272/2008</b> <b>Constitution according to Regulation (EC) No 1272/2008</b> <b>Institution according to Classified and labelled according to the CLP regulation.</b> <b>Institution according to Classified according to the CLP regulation.</b> <b>Institution according to Regulation (EC) No 1272/2008</b> <b>Institution according to Regulation (EC) No 1272/2008</b> <b>Institution according to Regulation (EC) No 1272/2008</b> <b>Institution ac</b>	
1 (0)44 251 51 51 ou 145 (depuis la Suisse) tweizerisches Toxikologisches Informationszentrum, Zürich 1 (0)44 251 51 51 oder aus der Schweiz: Tel 145 ntro Svizzero d'informazione tossicologica 1 (0)44 251 51 51 o dalla Svizzera: Tel 145 CCTION 2: Hazards identification Classification of the substance or mixture issification according to Regulation (EC) No 1272/2008 CTION 2: Hazards identification Classification according to Regulation (EC) No 1272/2008 CTION 2: Hazards identification Classification according to Regulation (EC) No 1272/2008 CTION 9 environment uatic Acute 1 H400 Very toxic to aquatic life. uatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. OF SG HS07 ute Tox. 4 H302 Harmful if swallowed. e Irrit. 2 H319 Causes serious eye irritation. OT SE 3 H335 May cause respiratory irritation. Label elements belling according to Regulation (EC) No 1272/2008 e product is classified and labelled according to the CLP regulation. Izard pictograms GHS07, GHS09 mal word Warning rzard-determining components of labelling: closene sodium, dihydrate	
1 (0)44 251 51 51 oder aus der Schweiz: Tel 145 ntro Svizzero d'informazione tossicologica 1 (0)44 251 51 51 o dalla Svizzera: Tel 145 <b>CCTION 2: Hazards identification</b> <b>Classification of the substance or mixture</b> <b>tessification according to Regulation (EC) No 1272/2008</b> <b>CISOP environment</b> <b>uatic Acute 1</b> H400 Very toxic to aquatic life. <b>uatic Chronic 1</b> H410 Very toxic to aquatic life with long lasting effects. <b>GHS07</b> <b>uatic Tox. 4</b> H302 Harmful if swallowed. <b>e</b> Irrit. 2 H319 Causes serious eye irritation. <b>OT SE 3</b> H335 May cause respiratory irritation. <b>Pabel elements</b> <b>belling according to Regulation (EC) No 1272/2008</b> <b>e</b> product is classified and labelled according to the CLP regulation. <b>trand pictograms</b> GHS07, GHS09 <b>trand word Warning</b> <b>trand-determining components of labelling:</b> closene sodium, dihydrate	
ntro Svizzero d'informazione tossicologica 1 (0)44 251 51 51 o dalla Svizzera: Tel 145 <b>ECTION 2: Hazards identification</b> <b>Classification of the substance or mixture</b> assification according to Regulation (EC) No 1272/2008	
1 (0)44 251 51 51 o dalla Svizzera: Tel 145   CCTION 2: Hazards identification   Cassification of the substance or mixture   Issification of the substance or mixture   Issification according to Regulation (EC) No 1272/2008   Optimization according to Regulation (EC) No 1272/2008   Optimization according to Regulation (EC) No 1272/2008   Optimization Chronic 1   H400 Very toxic to aquatic life.   uatic Acute 1   H400 Very toxic to aquatic life with long lasting effects.   Optimization (EC) No 1272/2008   Inter Tox. 4   H302 Harmful if swallowed.   Inter Tox. 4   H302 Causes serious eye irritation.   OT SE 3   H319 Causes serious eye irritation.   OT SE 3   H319 Causes respiratory irritation.   OT SE 3   H335 May cause respiratory irritation.   Colspan= galation (EC) No 1272/2008   e product is classified and labelled according to the CLP regulation.   Expection of Toto Toto Toto Toto Toto Tototo Totototot	
Classification of the substance or mixture assification according to Regulation (EC) No 1272/2008 GHS09 environment uatic Acute 1 H400 Very toxic to aquatic life. uatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.	
uatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. GHS07 ute Tox. 4 H302 Harmful if swallowed. e Irrit. 2 H319 Causes serious eye irritation. OT SE 3 H335 May cause respiratory irritation. PLabel elements belling according to Regulation (EC) No 1272/2008 e product is classified and labelled according to the CLP regulation. Izard pictograms GHS07, GHS09 gnal word Warning Izard-determining components of labelling: closene sodium, dihydrate	
uatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. GHS07 ute Tox. 4 H302 Harmful if swallowed. e Irrit. 2 H319 Causes serious eye irritation. OT SE 3 H335 May cause respiratory irritation. PLabel elements belling according to Regulation (EC) No 1272/2008 e product is classified and labelled according to the CLP regulation. Izard pictograms GHS07, GHS09 gnal word Warning Izard-determining components of labelling: closene sodium, dihydrate	
<b>b c b c b c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c c </b>	
e Irrit. 2 H319 Causes serious eye irritation. OT SE 3 H335 May cause respiratory irritation. P Label elements belling according to Regulation (EC) No 1272/2008 e product is classified and labelled according to the CLP regulation. uzard pictograms GHS07, GHS09 gnal word Warning uzard-determining components of labelling: closene sodium, dihydrate	
OT SE 3 H335 May cause respiratory irritation. <b>Label elements</b> <b>belling according to Regulation (EC) No 1272/2008</b> e product is classified and labelled according to the CLP regulation. <b>Izard pictograms</b> GHS07, GHS09 gnal word Warning <b>Izard-determining components of labelling:</b> closene sodium, dihydrate	
P Label elements belling according to Regulation (EC) No 1272/2008 e product is classified and labelled according to the CLP regulation. ward pictograms GHS07, GHS09 gnal word Warning ward-determining components of labelling: closene sodium, dihydrate	
belling according to Regulation (EC) No 1272/2008 e product is classified and labelled according to the CLP regulation. tzard pictograms GHS07, GHS09 mal word Warning tzard-determining components of labelling: closene sodium, dihydrate	
closene sodium, dihydrate	
izard statements	
02 Harmful if swallowed.	
19 Causes serious eye irritation.	(Contd. on page

#### Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

Trade name: Z131 Chlortabletten

	(Contd. of page 1)
H335 May co	ause respiratory irritation.
H410 Very to	exic to aquatic life with long lasting effects.
· Precautional	ry statements
P102	Keep out of reach of children.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P305+P351-	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Additional in	iformation:
EUH031 Cor	ntact with acids liberates toxic gas.
· Results of Pl	BT and vPvB assessment
· PBT: Not ap	plicable.
.D. D. Matan	mliantha

• **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components:		
CAS: 51580-86-0	troclosene sodium, dihydrate	50-100%
EINECS: 220-767-7	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; (1) Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335	
Reg.nr.: 01-2119489371-33	4, H302; Eye Irrit. 2, H319; ŜTOT SE 3, H335	
CAS: 124-04-9	adipic acid	≥5-<10%
EINECS: 204-673-3	♦ Eye Irrit. 2, H319	
Additional information: For the wording of the listed hazard phrases refer to section 16.		

#### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- *After skin contact: If skin irritation continues, consult a doctor.*
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 3)

Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

Trade name: Z131 Chlortabletten

(Contd. of page 2)

# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid formation of dust.
- Mount respiratory protective device. • 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Provide suction extractors if dust is formed. • Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Storage class: 13
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 51580-86-0 troclosene sodium, dihydrate

WEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen; as -NCO

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• *Respiratory protection:* Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 4)

Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

(Contd. of page 3)

Trade name: Z131 Chlortabletten

· Protection of hands:



Protective gloves

EN 374 • Material of gloves

Rubber gloves

\*

- Recommended thickness of the material:  $\geq 0.3$  mm
- Penetration time of glove material  $\geq 8h$
- · Eye protection: Goggles recommended during refilling

9.1 Information on basic physical and ch	nemical properties
General Information	<i>F</i> · · <i>F</i> · · <i>F</i> · · · · · · · · · · · · · · · · · · ·
Appearance:	
Form:	Solid
Colour:	White
Odour:	Chlorine-like
Odour threshold:	Not determined.
pH-value (10 g/l) at 20 °C:	7
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	265 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not determined.
Ignition temperature:	250 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Soluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solids content:	100.0 %

Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

(Contd. of page 4)

Trade name: Z131 Chlortabletten

• 9.2 Other information

No further relevant information available.

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with water and acids.
- 10.4 Conditions to avoid No further relevant information available.
- $\cdot$  10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Chlorine compounds

# **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

51580-86-0 troclosene sodium, dihydrate

*Oral LD50 1,400 mg/kg (Rat)* 

Dermal LD50 >2,000 mg/kg (Rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*

· STOT-single exposure

May cause respiratory irritation.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

• Aquatic toxicity:

51580-86-0 troclosene sodium, dihydrate

EC50 (48h) 0.28 mg/l (Daphnia magna)

LC50 (96h) 0.37 mg/l (Oncorhynchus mykiss)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects:

- · Remark: Very toxic for fish
- $\cdot$  Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

#### Trade name: Z131 Chlortabletten

(Contd. of page 5)

Also poisonous for fish and plankton in water bodies.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Very toxic for aquatic organisms

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

#### • 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European	waste catalogue
	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL
	AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00	separately collected fractions (except 15 01)
20 01 29*	detergents containing hazardous substances

#### · Uncleaned packaging:

· Recommendation:

- Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	UN3077
14.2 UN proper shipping name	
ADR	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	SOLID, N.O.S. (troclosene sodium, dihydrate)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	SOLID, N.O.S. (troclosene sodium, dihydrate), MARIN
	POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	SOLID, N.O.S. (troclosene sodium, dihydrate)
ADR, IMDG, IATA	
ADR, IMDG, IATA	9 Miscellaneous dangerous substances and articles.
ADR, IMDG, IATA	
ADR, IMDG, IATA	9 Miscellaneous dangerous substances and articles.
ADR, IMDG, IATA	9 Miscellaneous dangerous substances and articles.
ADR, IMDG, IATA	9 Miscellaneous dangerous substances and articles. 9
ADR, IMDG, IATA	9 Miscellaneous dangerous substances and articles. 9

Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Version number 19

Revision: 31.08.2020

Trade name: Z131 Chlortabletten

Printing date 31.08.2020

	(Contd. of page
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Hazard identification number (Kemler code):	90
EMS Number:	F-A,S-F
Stowage Category	A
Stowage Code	SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9.
14.7 Transport in bulk according to Annex II of	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5 kg
Excepted quantities $(\widetilde{E}Q)$	Code: El
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
Transport category	3
IMDG	
Limited quantities (LQ)	5 kg
Excepted quantities $(\tilde{E}Q)$	Code: El
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (TROCLOSENE SODIUM DIHYDRATE), 9, III

## **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment

 $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

 $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations:

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

chlorine-based bleaching agents

≥30%

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

(Contd. on page 8)

GB

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

#### Trade name: Z131 Chlortabletten

(Contd. of page 7)
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
· Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity - oral – Category 4
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
• * Data compared to the previous version altered.
GB