

Printing date 31.08.2020 Version number 3 Revision: 31.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Z116 Konz.z.Keimzahlr.
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Cleaning material/ Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Lasala AG

Wehntalerstrasse 113

8105 Regensdorf

- · Further information obtainable from: info@lasala.ch
- · 1.4 Emergency telephone number:

Centre suisse d'information toxicologique, Zurich

+41 (0)44 251 51 51 ou 145 (depuis la Suisse)

Schweizerisches Toxikologisches Informationszentrum, Zürich

+41 (0)44 251 51 51 oder aus der Schweiz: Tel 145

Centro Svizzero d'informazione tossicologica

+41 (0)44 251 51 51 o dalla Svizzera: Tel 145

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard-determining components of labelling:

didecyldimethylammonium chloride

Alcohol C13-iso, ethoxylated 9.5 EO

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P102 Keep out of reach of children.

(Contd. on page 2)

Printing date 31.08.2020 Version number 3 Revision: 31.08.2020

Trade name: Z116 Konz.z.Keimzahlr.

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 56-81-5 EINECS: 200-289-5 Reg.nr.: 01-2119471987-18	glycerol substance with a Community workplace exposure limit	25-50%
CAS: 7173-51-5 EINECS: 230-525-2 Reg.nr.: 01-2119945987-15	didecyldimethylammonium chloride Skin Corr. IB, H3I4; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302	≥20-<25%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol	≥5-<10%
CAS: 9043-30-5 NLP: 500-027-2	Alcohol C13-iso, ethoxylated 9.5 EO ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	≥1-≤2.5%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

GE

Printing date 31.08.2020 Version number 3 Revision: 31.08.2020

Trade name: Z116 Konz.z.Keimzahlr.

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 8 A
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

0.1	Control parameters
· Ingi	redients with limit values that require monitoring at the workplace:
56-8	1-5 glycerol
WEI	Long-term value: 10 mg/m³
67-6	3-0 propan-2-ol
WEI	Short-term value: 1250 mg/m³, 500 ppm
	Long-term value: 999 mg/m³, 400 ppm

· DNELs

7173-51-5 didecyldimethylammonium chloride

Dermal	DNEL long term systemic effects	8.6 mg/kg bw/day (workers
Inhalative	DNEL long term systemic effects	18.2 mg/m3 (workers)

· PNECs

7173-51-5 didecyldimethylammonium chloride

PNEC	595 mg/l (sewage plant)
PNEC aqua	2 mg/l (fresh water)
	0.0002 mg/l (sea water)
PNEC sediment	2.82 mg/kg (fresh water)
	595 mg/l (sewage plant) 2 mg/l (fresh water) 0.0002 mg/l (sea water) 2.82 mg/kg (fresh water) 282 mg/kg (sea water)

PNEC ground 1.4 mg/kg (ground)

(Contd. on page 4)

Printing date 31.08.2020 Version number 3 Revision: 31.08.2020

Trade name: Z116 Konz.z.Keimzahlr.

(Contd. of page 3)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

· Material of gloves Rubber gloves

· Solubility in / Miscibility with

water:

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

SECTION 9: Physical and cl	hemical properties	
· 9.1 Information on basic physical o	and chemical properties	
· General Information		
· Appearance:		
Form:	Fluid	
Colour:	Colourless	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	7	
· Change in condition		
Melting point/freezing point:	<0 °C	
Initial boiling point and boiling t	ange: 0°C	
· Flash point:	160 °C	
· Flammability (solid, gas):	Not applicable.	
· Ignition temperature:	400 °C	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.033 g/cm³	
Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	

Not miscible or difficult to mix.

(Contd. on page 5)

Printing date 31.08.2020 Version number 3 Revision: 31.08.2020

Trade name: Z116 Konz.z.Keimzahlr.

(Contd. of page 4)

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

Dynamic: Not determined.

Kinematic at 20 °C: 14 s (ISO 4 mm)

Organic solvents: 44.0 %

Water: 32.6 %

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· 9.2 Other information

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

•	LD)/[LC50	values	r	ele	vant	for	classification:

7173-51-5 didecyldimethylammonium chloride

 Oral
 LD50
 238 mg/kg (Rat)

 Dermal
 LD50
 3,342 mg/kg (Rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eve damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic tox	icity:		
7173-51-5 d	idecyldi	imethylammonium	chloride

NOEC 530 mg/l (Chironomus sp.) (OECD 218, 28d) 32 mg/l (Danio rerio) (OECD 210, 34 d)

10 mg/l (Daphnia magna) (OECD 211, 21d) ≥1,000 mg/l (Eisenia fetida) (OECD 207, 14d)

(Contd. on page 6)

Printing date 31.08.2020 Version number 3 Revision: 31.08.2020

Trade name: Z116 Konz.z.Keimzahlr.

(Contd. of page 5) LC50 (96h) 0.19 mg/l (Pimephales promelas) (US-EPA) EC50 62 mg/l (Daphnia magna) (EPA-FIFRA, 48h) 26 mg/l (Pseudokirchneriella subcapitata) (OECD-201, 96h)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Very toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European	waste catalogue
	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL
	AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
	separately collected fractions (except 15 01)
20 01 29*	detergents containing hazardous substances

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· 14.1 UN-Number · ADR, IMDG, IATA	UN1760
· 14.2 UN proper shipping name	
·ADR	1760 CORROSIVE LIQUID, N.O.S (didecyldimethylammonium chloride)
· IMDG	CORROSIVE LIQUID, N.O.S. (didecyldimethylammoniu chloride), MARINE POLLUTANT
· IATA	CORROSIVE LIQUID, N.O.S. (didecyldimethylammoniu chloride)

(Contd. on page 7)

Printing date 31.08.2020 Version number 3 Revision: 31.08.2020

Trade name: Z116 Konz.z.Keimzahlr.

(Contd. of page 6) · 14.3 Transport hazard class(es) · ADR, IMDG · Class 8 Corrosive substances. ·Label \cdot IATA · Class 8 Corrosive substances. · Label 8 · 14.4 Packing group III· ADR, IMDG, IATA · 14.5 Environmental hazards: Symbol (fish and tree) · Marine pollutant: Symbol (fish and tree) · Special marking (ADR): · 14.6 Special precautions for user Warning: Corrosive substances. · Hazard identification number (Kemler code): · Stowage Category · Stowage Code SW2 Clear of living quarters. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: $\cdot ADR$ · Limited quantities (LQ) 5LCode: E1 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category 3 E· Tunnel restriction code 5L· Limited quantities (LQ) · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 1760 CORROSIVE LIQUID, N.O.S. · UN "Model Regulation": (DIDECYLDIMETHYLAMMONIUM CHLORIDE), 8, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 8)

Printing date 31.08.2020 Version number 3 Revision: 31.08.2020

Trade name: Z116 Konz.z.Keimzahlr.

(Contd. of page 7)

· Regulation (EU) No 649/2012

7173-51-5 didecyldimethylammonium chloride

Annex I Part 1

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

· National regulations:

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

cationic surfactants

non-ionic surfactants, perfumes (BUTYLPHENYL METHYLPROPIONAL, CITRAL, <5% LINALOOL, LIMONEN, CITRONELLOL)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Abbreviations and acronvms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity - oral - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* * Data compared to the previous version altered.