Page 1/9




Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.08.2020

Version number 23

Revision: 28.08.2020



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.08.2020

Version number 23

Revision: 28.08.2020

(Contd. of page 1)

Trade name: airodor lemon

H412 Harmful to aquatic life with long lasting effects. · Precautionary statements

P102 Keep out of reach of children.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225; () Eye Irrit. 2, H319; STOT SE 3, H336	≥10-<20%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43	ethanol ③ Flam. Liq. 2, H225	5-10%
CAS: 111-76-2 EINECS: 203-905-0 Reg.nr.: 01-2119475108-36	2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	<i>≤</i> 2.5%
CAS: 5392-40-5 EINECS: 226-394-6 Reg.nr.: 01-2119462829-23	Citral Trit. 2, H315; Skin Sens. 1, H317	≥1-≤2.5%
CAS: 5989-27-5 EINECS: 227-813-5 Reg.nr.: 01-2119529223-47	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.25-<1%
CAS: 101-86-0 EINECS: 202-983-3 Reg.nr.: 01-2119533092-50	alpha-Hexylcinnamaldehyde	≥0.1-<1%
• Additional information: For	the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

· After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.08.2020

Version number 23

Revision: 28.08.2020

(Contd. of page 2)

Trade name: airodor lemon

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Keep receptacles tightly sealed.

· Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class: 3

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Contro	ol parameters		
· Ingredient	ts with limit values that require m	onitoring at the workplace:	
67-63-0 pr	opan-2-ol		
	rt-term value: 1250 mg/m³, 500 pp		
Long	g-term value: 999 mg/m³, 400 ppm	1	
64-17-5 et	hanol		
WEL Long	g-term value: 1920 mg/m³, 1000 p	рт	
111-76-2 2	2-butoxyethanol		
WEL Shor	rt-term value: 246 mg/m³, 50 ppm		
Long	g-term value: 123 mg/m ³ , 25 ppm		
Sk, E	3MGV		
· DNELs			
67-63-0 pr	opan-2-ol		
Oral	DNEL long term systemic effects	26 mg/kg bw/day (general population)	
Dermal	DNEL long term systemic effects	319 mg/kg bw/day (general population)	
		888 mg/kg bw/day (workers)	
Inhalative	DNEL long term systemic effects	89 mg/m3 (general population)	
·			(Contd. on page 4)

Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.08.2020

Version number 23

Revision: 28.08.2020

Trade name: airodor lemon

5989-27-5 (R)-p-mentha-1,8-diene Inhalative DNEL long term systemic effects 8.33 mg/m3 (general population) 33.3 mg/m3 (workers) PNECs 67-63-0 propan-2-ol PNEC PNEC aqua 140.9 mg/l (intermittent release) 2.251 mg/l (sewage plant) PNEC sediment 552 mg/kg (fresh water) 140.9 mg/l (sea water) S52 mg/kg (ground) 552 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC sediment 1.32 mg/kg (fresh water) PNEC sediment 1.32 mg/kg (ground) Ingredients with biological limit values: 111-76-2 2-butoxyethanol BMGV 240 nmol/mol creatinine Medium: wrine Sampling time: post shift Parameter: butoxyacetic acid * Additional information: The lists valid during the m			(Contd. of pa 500 mg/m3 (workers)
Inhalative DVEL long term systemic effects 8.33 mg/m3 (general population) 33.3 mg/m3 (workers) PNECs 67-63-0 propan-2-ol PNEC 140.9 mg/l (intermittent release) 2.251 mg/l (sewage plant) PNEC aqua 140.9 mg/l (fresh water) 140.9 mg/l (fresh water) 140.9 mg/l (fresh water) 552 mg/kg (fresh water) 552 mg/kg (fresh water) S52 mg/kg (ground) 552 mg/kg (ground) S989-27-5 (R)-p-mentha-1,8-diene PNEC ground PNEC ground 2.8 mg/kg (fresh water) PNEC ground 0.0054 mg/l (fresh water) PNEC ground 2.32 mg/kg (fresh water) PNEC ground 2.32 mg/kg (fresh water) PNEC ground 2.32 mg/kg (ground) Ingredients with biological limit values: 111-76-2 2-butoxyethanol BMGV 2.40 mmo/mol creatinine Medium: wine Sampling time: post shift Parameter: butoxyacetic acid Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective equipment: General protective gloves and protective skin cream Material of gloves Rubber gloves Penetorion of hands: Protective gloves and protective skin cream <th>5989_27_5 (R)_n</th> <th>_montha_1 &_diono</th> <th></th>	5989_27_5 (R)_n	_montha_1 &_diono	
PNECs 67-63-0 propan-2-ol PNEC 140.9 mg/l (intermittent release) 2,251 mg/l (sewage plant) PNEC aqua 140.9 mg/l (fresh water) 140.9 mg/l (sea water) PNEC sediment 552 mg/kg (fresh water) 552 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC sediment 1.32 mg/kg (fresh water) PNEC sediment 1.32 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC sediment 1.32 mg/kg (ground) Songling (fresh water) PNEC ground 262 mg/kg (ground) Ingredients with biological limit values: I11-76-2 2-butoxyethanol BMGV Z40 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid * Additional information: The lists valid during the making were used as basis. * 8.2 Exposure controls • Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection: Not required.	.,.		effects 8 33 mg/m3 (general nonulation)
PNECs 67-63-0 propan-2-ol PNEC 140.9 mg/l (intermittent release) 2.251 mg/l (sewage plant) PNEC aqua 140.9 mg/l (fresh water) 140.9 mg/l (sea water) PNEC sediment 552 mg/kg (fresh water) 552 mg/kg (sea water) PNEC ground 28 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC sediment 1.32 mg/kg (fresh water) PNEC ground 262 mg/kg (ground) S989-27-5 (R)-p-mentha-1,8-diene PNEC ground 262 mg/kg (ground) S989-27-5 (R)-p-mentha-1,8-diene PNEC ground 262 mg/kg (ground) S989-27-5 (R)-p-mentha-1,8-diene PNEC ground 262 mg/kg (ground) 'Ingredients with biological limit values: 111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: wrine Sampling time: post shift Parameter: butoxyacetic acid - Additional information: The lists valid during the making were used as basis. - 8.2 Exposure controls - Personal protective equipment: - General protective and hygienic measures: Wash hands before breaks	Innalative Diver	2 iong ierm systemie (
67-63-0 propan-2-ol PNEC 140.9 mg/l (intermittent release) 2,251 mg/l (sewage plant) PNEC aqua 140.9 mg/l (fresh water) 140.9 mg/l (gea water) PNEC sediment 552 mg/kg (fresh water) 552 mg/kg (ground) 5889-27-5 (R)-p-mentha-1,8-diene PNEC aqua 0.0054 mg/l (fresh water) PNEC sediment 1.32 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC sediment 1.32 mg/kg (ground) PNEC ground 262 mg/kg (ground) * Interdients with biological limit values: 111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid * Additional information: The lists valid during the making were used as basis. * 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection: Not required. Protection of hands: Protective gloves and protective skin cream Material of gloves Rubber gloves Pertertion of for Asys Protective gloves and protective skin cream			55.5 mg/m5 (workers)
PNEC 140.9 mg/l (intermittent release) 2,251 mg/l (sewage plant) PNEC aqua 140.9 mg/l (fresh water) 140.9 mg/l (sea water) PNEC sediment 552 mg/kg (fresh water) 552 mg/kg (sea water) PNEC ground 28 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC sediment 1.32 mg/kg (fresh water) PNEC sediment 262 mg/kg (ground) Ingredients with biological limit values: 111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection: Not required. Protection of hands: Protective gloves and protective skin cream Material of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has		<u> </u>	
2.251 mg/l (sewage plant) PNEC aqua 140.9 mg/l (fresh water) 140.9 mg/l (sea water) PNEC sediment 552 mg/kg (fresh water) 552 mg/kg (sea water) PNEC ground 28 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC aqua 0.0054 mg/l (fresh water) PNEC sediment 1.32 mg/kg (fresh water) PNEC ground 262 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC sediment 1.32 mg/kg (fresh water) PNEC ground 262 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC sediment 1.32 mg/kg (fresh water) PNEC ground 262 mg/kg (ground) 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 5980 			•
PNEC aqua 140.9 mg/l (fresh water) 140.9 mg/l (sea water) PNEC sediment 552 mg/kg (fresh water) 552 mg/kg (sea water) PNEC ground 28 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC aqua 0.0054 mg/l (fresh water) PNEC sediment 1.32 mg/kg (fresh water) PNEC ground 262 mg/kg (ground) * Ingredients with biological limit values: 111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid * * Additional information: The lists valid during the making were used as basis. * 8.2 Exposure controls • Personal protective equipment: • General protection: Not required. • Protection of hands: Protective gloves and protective skin cream • Material of gloves Rubber gloves • Penteration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. • As protection from splashes gloves made of the following materials are suitable: Rubber gloves Bubyl rubber, BR	PNEC	0	
140.9 mg/l (sea water) PNEC sediment 552 mg/kg (fresh water) 552 mg/kg (sea water) PNEC ground 28 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC aqua 0.0054 mg/l (fresh water) PNEC sediment 1.32 mg/kg (fresh water) PNEC ground 262 mg/kg (ground) Ingredients with biological limit values: 111-76-2 2-butoxyethanol Medium: urine Sampling time: post shift Parameter: butoxyacetic acid • Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls • Personal protective equipment: General protective equipment: • General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection: Not required. • Protection of hands: Protective gloves and protective skin cream Material of gloves Rubber gloves • Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. • As protection from splashes gloves made of the following materials are suitable: Rubber gloves Bubyl rubber, BR Bubyl rubber, BR			· /
PNEC sediment 552 mg/kg (fresh water) 552 mg/kg (sea water) PNEC ground 28 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC aqua 0.0054 mg/l (fresh water) PNEC sediment 1.32 mg/kg (fresh water) PNEC ground 262 mg/kg (ground) ingredients with biological limit values: 111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid • Addition-al information: The lists valid during the making were used as basis. 8.2 Exposure controls Prescinal protective equipment: General protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection: Not required. Protection of hands: Protective gloves and protective skin cream Material of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. As protection from splashes gloves made of the following materials are suitable: Rubber gloves Butyl rubber, BR	-	0 0	
552 mg/kg (sea water) PNEC ground 28 mg/kg (ground) 5989-27-5 (R)mentha-1,8-diene PNEC aqua 0.0054 mg/l (fresh water) PNEC sediment 1.32 mg/kg (fresh water) PNEC ground 262 mg/kg (ground) • Ingredients with biological limit values: 111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid • Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls • Personal protective and hygienic measures: Wash hands before breaks and at the end of work. • Respiratory protection: Not required. • Protection of hands: Protective gloves and protective skin cream • Material of glove Rubber gloves • Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. • As protection form splashes gloves made of the following materials are suitable: Rubber gloves Buyl rubber, BR		0	
PNEC ground 28 mg/kg (ground) 5989-27-5 (R)-p-mentha-1,8-diene PNEC aqua 0.0054 mg/l (fresh water) PNEC sediment 1.32 mg/kg (fresh water) PNEC ground 262 mg/kg (ground) • Ingredients with biological limit values: 111-76-2 2-butxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid • • Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls • Personal protective equipment: • General protective and hygienic measures: Wash hands before breaks and at the end of work. • Respiratory protection: Not required. • Protection of hands: Protective gloves and protective skin cream • Material of gloves Rubber gloves • Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. • As protection from splashes gloves made of the following materials are suitable: Rubber gloves Butyl rubber, BR			
5989-27-5 (R)-p-mentha-1,8-diene PNEC aqua 0.0054 mg/l (fresh water) PNEC sediment 1.32 mg/kg (fresh water) PNEC ground 262 mg/kg (ground) • Ingredients with biological limit values: 111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid • • Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls • Personal protective equipment: • General protective and hygienic measures: Wash hands before breaks and at the end of work. • Respiratory protection: Not required. • Protection of hands: Protective gloves and protective skin cream • Material of gloves Rubber gloves • Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. • As protection from splashes gloves made of the following materials are suitable: Rubber gloves Butyl rubber, BR			er)
PNEC aqua 0.0054 mg/l (fresh water) PNEC sediment 1.32 mg/kg (fresh water) PNEC ground 262 mg/kg (ground) Ingredients with biological limit values: 111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid Additional information: The lists valid during the making were used as basis. * Additional information: The lists valid during the making were used as basis. * 8.2 Exposure controls Personal protective equipment: General protection: Not required. Protection of hands: Protective gloves and protective skin cream Material of gloves Rubber gloves Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. • As protection from splashes gloves made of the following materials are suitable: Rubber gloves Butyl rubber, BR	-		
PNEC sediment PNEC ground 1.32 mg/kg (fresh water) 262 mg/kg (ground) • Ingredients with biological limit values: 111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid • Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls • Personal protective equipment: • General protection: Not required. • Protection of hands: Protective gloves and protective skin cream • Material of gloves Rubber gloves • Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. • As protection from splashes gloves made of the following materials are suitable: Rubber gloves Butyl rubber, BR	5989-27-5 (R)-p	-mentha-1,8-diene	
PNEC ground 262 mg/kg (ground) • Ingredients with biological limit values: III-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid • Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls • Personal protective equipment: • General protective and hygienic measures: Wash hands before breaks and at the end of work. • Respiratory protection: Not required. • Protection of hands: Protective gloves and protective skin cream • Material of gloves Rubber gloves • Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. • As protection from splashes gloves made of the following materials are suitable: Rubber gloves Butyl rubber, BR	PNEC aqua	0.0054 mg/l (fresh w	vater)
 Ingredients with biological limit values: 111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection: Not required. Protection of hands: Protective gloves and protective skin cream Material of gloves Rubber gloves Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. As protection from splashes gloves made of the following materials are suitable: Rubber gloves 	PNEC sediment	1.32 mg/kg (fresh wa	ater)
111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid • Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls • Personal protective equipment: • General protective and hygienic measures: Wash hands before breaks and at the end of work. • Respiratory protection: Not required. • Protection of hands: Protective gloves and protective skin cream • Material of gloves Rubber gloves • Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. • As protection from splashes gloves made of the following materials are suitable: Rubber gloves • Butyl rubber, BR	PNEC ground	262 mg/kg (ground)	
111-76-2 2-butoxyethanol BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid • Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls • Personal protective equipment: • General protective and hygienic measures: Wash hands before breaks and at the end of work. • Respiratory protection: Not required. • Protection of hands: Protective gloves and protective skin cream • Material of gloves Rubber gloves • Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. • As protection from splashes gloves made of the following materials are suitable: Rubber gloves • Butyl rubber, BR	· Ingredients with	biological limit valu	les:
BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid Parameter: butoxyacetic acid • Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls • Personal protective equipment: • General protective and hygienic measures: Wash hands before breaks and at the end of work. • Respiratory protection: Not required. • Protection of hands: Protective gloves and protective skin cream • Material of gloves Rubber gloves • Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. • As protection from splashes gloves made of the following materials are suitable: Rubber gloves Butyl rubber, BR	•		
Sampling time: post shift Parameter: butoxyacetic acid • Additional information: The lists valid during the making were used as basis. • Additional information: The lists valid during the making were used as basis. • 8.2 Exposure controls • Personal protective equipment: • General protective and hygienic measures: Wash hands before breaks and at the end of work. • Respiratory protection: Not required. • Protection of hands: Protective gloves and protective skin cream • Material of gloves Rubber gloves • Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. • As protection from splashes gloves made of the following materials are suitable: Rubber gloves Butyl rubber, BR		•	
 Parameter: butoxyacetic acid Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection: Not required. Protection of hands: Protective gloves and protective skin cream Material of gloves Rubber gloves Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. As protection from splashes gloves made of the following materials are suitable: Rubber gloves Butyl rubber, BR 			
 Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection: Not required. Protection of hands: Protective gloves and protective skin cream Material of gloves Rubber gloves Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. As protection from splashes gloves made of the following materials are suitable: Rubber gloves Butyl rubber, BR 			
 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection: Not required. Protection of hands: Protective gloves and protective skin cream Material of gloves Rubber gloves Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to observed. As protection from splashes gloves made of the following materials are suitable: Rubber gloves Butyl rubber, BR 			
	· General protecti		
	 General protecti Respiratory prot Protection of ha. Material of glove Penetration time The exact break observed. As protection from Rubber gloves Butyl rubber, BR 	ection: Not required. nds: Protective glove es Rubber gloves e of glove material trough time has to b om splashes gloves m	es and protective skin cream be found out by the manufacturer of the protective gloves and has to nade of the following materials are suitable:
	 General protecti Respiratory prot Protection of ha. Material of glove Penetration time The exact break observed. As protection from Rubber gloves Butyl rubber, BR 	ection: Not required. nds: Protective glove es Rubber gloves e of glove material trough time has to b om splashes gloves m	es and protective skin cream be found out by the manufacturer of the protective gloves and has to nade of the following materials are suitable:
SECTION 9: Physical and chemical properties	 General protecti Respiratory prot Protection of ha Material of glow Penetration time The exact break observed. As protection from Rubber gloves Butyl rubber, BR Eye protection: 	ection: Not required. nds: Protective glove es Rubber gloves e of glove material trough time has to b om splashes gloves m Goggles recommende	es and protective skin cream be found out by the manufacturer of the protective gloves and has to nade of the following materials are suitable: ed during refilling
	 General protecti Respiratory protection of hat Protection of hat Material of glow Penetration time The exact break observed. As protection from Rubber gloves Butyl rubber, BR Eye protection: 	ection: Not required. nds: Protective glove es Rubber gloves e of glove material trough time has to b om splashes gloves m Goggles recommende Physical and che	es and protective skin cream be found out by the manufacturer of the protective gloves and has to nade of the following materials are suitable: ed during refilling emical properties
· 9.1 Information on basic physical and chemical properties	 General protecti Respiratory prot Protection of hat Material of glow Penetration time The exact break observed. As protection from Rubber gloves Butyl rubber, BR Eye protection: SECTION 9: 9.1 Information 	ection: Not required. nds: Protective gloves es Rubber gloves e of glove material trough time has to b om splashes gloves m Goggles recommende Physical and che on basic physical and	es and protective skin cream be found out by the manufacturer of the protective gloves and has to nade of the following materials are suitable: ed during refilling emical properties
	 General protecti Respiratory prot Protection of hat Material of glow Penetration time The exact break observed. As protection from Rubber gloves Butyl rubber, BR Eye protection: (SECTION 9: 9.1 Information General Information 	ection: Not required. nds: Protective gloves es Rubber gloves e of glove material trough time has to b om splashes gloves m Goggles recommende Physical and che on basic physical and	es and protective skin cream be found out by the manufacturer of the protective gloves and has to nade of the following materials are suitable: ed during refilling emical properties
 9.1 Information on basic physical and chemical properties General Information Appearance: Form: 	 General protecti Respiratory prot Protection of hat Material of glow Penetration time The exact break observed. As protection from Rubber gloves Butyl rubber, BR Eye protection: SECTION 9: 9.1 Information General Information Appearance: Form: 	ection: Not required. nds: Protective gloves es Rubber gloves e of glove material trough time has to b om splashes gloves m Goggles recommende Physical and che on basic physical and	es and protective skin cream be found out by the manufacturer of the protective gloves and has to nade of the following materials are suitable: ed during refilling emical properties nd chemical properties Fluid
 9.1 Information on basic physical and chemical properties General Information Appearance: Form: Fluid Colour: Yellow 	 General protecti Respiratory prot Protection of ha. Material of glow Penetration time The exact break observed. As protection from Rubber gloves Butyl rubber, BR Eye protection: C SECTION 9: 9.1 Information General Information Appearance: Form: Colour: 	ection: Not required. nds: Protective gloves es Rubber gloves e of glove material trough time has to b om splashes gloves m Goggles recommende Physical and che on basic physical and	es and protective skin cream be found out by the manufacturer of the protective gloves and has to nade of the following materials are suitable: ed during refilling emical properties nd chemical properties Fluid Yellow
 9.1 Information on basic physical and chemical properties General Information Appearance: Form: Fluid Colour: Yellow Odour: Characteristic 	 General protecti Respiratory prot Protection of ha. Material of glove Penetration time The exact break observed. As protection from Rubber gloves Butyl rubber, BR Eye protection: G SECTION 9: 9.1 Information General Information Appearance: Form: Colour: Odour: 	ection: Not required. nds: Protective glove es Rubber gloves e of glove material trough time has to b om splashes gloves m Goggles recommende Physical and che on basic physical and ation	es and protective skin cream be found out by the manufacturer of the protective gloves and has to nade of the following materials are suitable: ed during refilling emical properties id chemical properties Fluid Yellow Characteristic
• 9.1 Information on basic physical and chemical properties • General Information • Appearance: • Form: Fluid Colour: Yellow • Odour: Characteristic • Odour threshold: Not determined.	 General protecti Respiratory prot Protection of hat Material of glow Penetration time The exact break observed. As protection from Rubber gloves Butyl rubber, BR Eye protection: O SECTION 9: 9.1 Information General Information Appearance: Form: Colour: Odour threshold 	ection: Not required. nds: Protective gloves es Rubber gloves e of glove material trough time has to b om splashes gloves m Goggles recommende Physical and che on basic physical and ation	es and protective skin cream be found out by the manufacturer of the protective gloves and has to nade of the following materials are suitable: ed during refilling emical properties nd chemical properties Fluid Yellow Characteristic Not determined.
• 9.1 Information on basic physical and chemical properties • General Information • Appearance: Form: Fluid Colour: Yellow • Odour: Characteristic • Odour threshold: Not determined. • pH-value at 20 °C: 5.5	 General protecti Respiratory prot Protection of ha. Material of glove Penetration time The exact break observed. As protection from Rubber gloves Butyl rubber, BR Eye protection: O SECTION 9: 9.1 Information General Information Appearance: Form: Colour: Odour: Odour threshold pH-value at 20 ° 	ection: Not required. nds: Protective glove es Rubber gloves e of glove material trough time has to b om splashes gloves m Goggles recommende Physical and che on basic physical and ation	es and protective skin cream be found out by the manufacturer of the protective gloves and has to nade of the following materials are suitable: ed during refilling emical properties nd chemical properties Fluid Yellow Characteristic Not determined.
• 9.1 Information on basic physical and chemical properties • General Information • Appearance: • Form: Fluid Colour: Yellow • Odour: Characteristic • Odour threshold: Not determined.	 General protecti Respiratory prot Protection of ha. Material of glove Penetration time The exact break observed. As protection from Rubber gloves Butyl rubber, BR Eye protection: O SECTION 9: 9.1 Information General Information Appearance: Form: Colour: Odour: Odour threshold pH-value at 20 ° Change in condition 	ection: Not required. nds: Protective glove es Rubber gloves e of glove material trough time has to b om splashes gloves m Goggles recommende Physical and che on basic physical and ation	es and protective skin cream be found out by the manufacturer of the protective gloves and has to made of the following materials are suitable: ed during refilling emical properties ad chemical properties Fluid Yellow Characteristic Not determined. 5.5

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.08.2020

Version number 23

Revision: 28.08.2020

Trade name: airodor lemon

	(Contd. of page 4
Initial boiling point and boiling range	e: 78 °C
Flash point:	23 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	425 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
Vapour pressure at 20 °C:	43 hPa
Density at 20 °C:	0.963 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents:	24.3 %
Water:	68.6 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

Oral LD50 5,280 mg/kg (Rat)

Dermal LD50 17,600 mg/kg (Rabbit)

5989-27-5 (R)-p-mentha-1,8-diene

Oral LD50 >2,000 mg/kg (Rat)

Dermal LD50 >5,000 mg/kg (Rabbit)

(Contd. on page 6)

GB

Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.08.2020

Version number 23

Revision: 28.08.2020

(Contd. of page 5)

Trade name: airodor lemon

- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- \cdot Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- $\cdot \textit{STOT-single exposure Based on available data, the classification criteria are not met.}$
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

67-63-0 propan-2-ol

EC50 (48h) 13,299 mg/l (Daphnia magna)

LC50 (96h) 9,640 mg/l (Pimephales promelas)

5989-27-5 (R)-p-mentha-1,8-diene

EC50 (48h) 0.36 mg/l (Daphnia magna)

EC50 (72h) 8 mg/l (Desomdemus subspicatus)

- *LC50 (96h)* 0.72 mg/l (Pimephales promelas)
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed together with household garbage. Do not al	llow product to reach sewage system.
---	--------------------------------------

• European	· European waste catalogue	
	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL	
	AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	
20 01 00	separately collected fractions (except 15 01)	

(Contd. on page 7)

GB

Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.08.2020

Version number 23

Revision: 28.08.2020

(Contd. of page 6)

Trade name: airodor lemon

20 01 29* detergents containing hazardous substances

• Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name ADR	1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANO (ISOPROPYL ALCOHOL), ETHANOL (ETHY ALCOHOL))
IMDG IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANO (ISOPROPYL ALCOHOL), ETHANOL (ETHY ALCOHOL)) FLAMMABLE LIQUID, N.O.S. (ISOPROPANO
	(ISOPROPYL ALCOHOL), ETHANOL)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	3 Flammable liquids. 3
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code): Stowage Category	30 A
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	f Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3 D/E
IMDG Limited quantities (LQ)	5L
(-2)	(Contd. on page

Safety data sheet according to 1907/2006/EC, Article 31

Version number 23

Revision: 28.08.2020

Trade name: airodor lemon

Printing date 28.08.2020

	(Contd. of page 7)
• Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
• UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL)), 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations:

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants, perfumes (CITRAL, BENZYL SALICYLATE, LIMONEN, HEXYL CINNAMAL) <5%

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

(Contd. on page 9)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.08.2020

Version number 23

Revision: 28.08.2020

GR

Trade name: airodor lemon

(Contd. of page 8) Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

• * Data compared to the previous version altered.