Page 1/9




Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 12

Revision: 31.08.2020

GB



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 12

Revision: 31.08.2020

Trade name: T65 Fleckenentf.Spray

	(Contd. of page 1)
Hazard-d	etermining components of labelling:
	(petroleum), hydrotreated light
(R)-p-mer	ntha-1,8-diene
Hazard st	tatements
Н222-Н2.	29 Extremely flammable aerosol. Pressurised container: May burst if heated.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
Precautio	mary statements
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P4	12 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Additiona	Il information:
Pressuriz	ed container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not
pierce or	burn, even after use.
69.94049	83 % by mass of the contents are flammable
Results of	f PBT and vPvB assessment
PBT: Not	applicable.
	t applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

angerous components:		
	Naphtha (petroleum), hydrotreated light	50-100%
leg.nr.: 01-2119475133-43	� Flam. Liq. 2, H225; � Acute Tox. 3, H331; � Asp. Tox. 1, H304; � Aquatic Chronic 2, H411; � Skin Irrit. 2, H315; STOT SE 3, H336	
1	propane 🚸 Flam. Gas 1, H220; Press. Gas (Comp.), H280	10-20%
	butane, pure Flam. Gas 1, H220; 🚸 Acute Tox. 3, H331; Press. Gas (Comp.), H280	10-20%
CINECS: 227-813-5	(R)-p-mentha-1,8-diene ♦ Flam. Liq. 3, H226; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317	2.5-5%
0	the wording of the listed hazard phrases refer to section 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. (Contd. on page 3)

GP GP

GB

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 12

Revision: 31.08.2020

Trade name: T65 Fleckenentf.Spray

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Storage class: 2 B

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

(Contd. of page 2)

Page 4/9

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 12

Revision: 31.08.2020

GB

Trade name: T65 Fleckenentf.Spray

106-97-8 butane, WEL Short-term Long-term Carc (if mon • DNELs 5989-27-5 (R)-p-1	limit values that require monitoring at the workplace: pure value: 1810 mg/m ³ , 750 ppm value: 1450 mg/m ³ , 600 ppm re than 0.1% of buta-1.3-diene)
106-97-8 butane, WEL Short-term Long-term v Carc (if more DNELs 5989-27-5 (R)-p-1 Inhalative DNEL	<i>pure</i> value: 1810 mg/m ³ , 750 ppm value: 1450 mg/m ³ , 600 ppm re than 0.1% of buta-1.3-diene) <i>mentha-1,8-diene</i>
WEL Short-term v Long-term v Carc (if mod 5989-27-5 (R)-p-1 Inhalative DNEL	value: 1810 mg/m ³ , 750 ppm value: 1450 mg/m ³ , 600 ppm re than 0.1% of buta-1.3-diene) mentha-1,8-diene
Long-term v Carc (if mo. DNELs 5989-27-5 (R)-p-1 Inhalative DNEL	value: 1450 mg/m ³ , 600 ppm re than 0.1% of buta-1.3-diene) mentha-1,8-diene
Carc (if mon DNELs 5989-27-5 (R)-p-1 Inhalative DNEL	re than 0.1% of buta-1.3-diene) mentha-1,8-diene
5989-27-5 (R)-p-1 Inhalative DNEL	
Inhalative DNEL	
	long term systemic effects 8.33 mg/m3 (general population)
PNECs	
PNECs	33.3 mg/m3 (workers)
5989-27-5 (R)-р-і	mentha-1,8-diene
. , 1	0.0054 mg/l (fresh water)
-	1.32 mg/kg (fresh water)
	262 mg/kg (ground)
ē	nation: The lists valid during the making were used as basis.
Avoid contact with Avoid contact with	h the eyes and skin. ction: Not required.
J.	tive gloves
Material of gloves Penetration time The exact break t observed. Eye protection:	
Tightly	y sealed goggles
• 9.1 Information o • General Informat • Appearance: Form: Colour: • Odour:	Aerosol Colourless Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C	· ·

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 12

Revision: 31.08.2020

Trade name: T65 Fleckenentf.Spray

	(Contd. of page
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : 107 °C
Flash point:	1 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	310 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined.
Explosion limits: Lower: Upper:	0.9 Vol % 10.9 Vol %
Vapour pressure at 20 °C:	8,300 hPa
Density at 20 °C: Relative density Vapour density Evaporation rate	0.755 g/cm ³ Not determined. Not determined. Not applicable.
Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Dynamic: Kinematic: Organic solvents:	Not determined. Not determined. 100.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values rele	vant for classification:
64742-49-	0 Naphtha	(petroleum), hydrotreated light
Oral	LD50	>2,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
Inhalative	LC50/4 h	>5 mg/l (Rat)
106-97-8 b	outane, pui	re
Inhalative	LC50/4 h	658 mg/l (Rat)
		(Contd. on page 6

*

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 12

Revision: 31.08.2020

Trade name: T65 Fleckenentf.Spray

Tı	rade name:	T65 Fleck	kenentf.Spray	
			(Cont	d. of page 5)
	5989-27-5	5 (R)-p-me	entha-1,8-diene	
	Oral	LD50	>2,000 mg/kg (Rat)	
	Dermal	LD50	>5,000 mg/kg (Rabbit)	
	· Primary i			
	• Skin corr Causes sk			
			on. <i>e/irritation</i> Based on available data, the classification criteria are not met.	
			sensitisation	
			gic skin reaction.	
			inogenity, mutagenicity and toxicity for reproduction)	
			<i>nicity</i> Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met.	
			ity Based on available data, the classification criteria are not met.	
	· STOT-sin	gle exposi	sure	
			ness or dizziness.	
			posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.	
	215pt1 uu01	i nazara z	Bused on available data, the classification of north are not met.	
_				
	SECTIC	ON 12: E	Ecological information	
	· 12.1 Toxi	city		
	• Aquatic to	oxicity:		
	5989-27-5	5 (R)-p-me	entha-1,8-diene	
	EC50 (48)	h) 0.36 m	ng/l (Daphnia magna)	
	EC50 (72)	h) 8 mg/l	l (Desomdemus subspicatus)	
	LC50 (96)	h) 0.72 m	ng/l (Pimephales promelas)	
	· 12.2 Persi	istence an	nd degradability No further relevant information available.	
			tive potential No further relevant information available.	
	 12.4 Mobility Ecotoxical 		il No further relevant information available.	
	· Ecoloxica · Remark:			
			cal information:	
	· General n	otes:		
			2 (German Regulation) (Self-assessment): hazardous for water	
			ict to reach ground water, water course or sewage system. water if even small quantities leak into the ground.	
			fish and plankton in water bodies.	
	The surfa	ctant(s) co	contained in this preparation complies(comply) with the biodegradability criter	
			n (EC) No.648/2004 on detergents. Data to support this assertion are held at the	
			uthorities of the Member States and will be made available to them, at their dire. \hat{c} a detergent manufacturer.	ct request
	Toxic for a			
			T and vPvB assessment	
	• PBT: Not			
	• vPvB: Not			
	• 12.0 Oine	r aaverse	e effects No further relevant information available.	
	SECTIC	ON 13: L	Disposal considerations	
	• 13.1 Wast	e treatme	ent methods	
	· Recomme			
	Must not l	be dispose	ed together with household garbage. Do not allow product to reach sewage system	
			(Contd	d. on page 7) GB
				05

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 12

Revision: 31.08.2020

Trade name: T65 Fleckenentf.Spray

(Contd. of page 6)

• European	waste	catalogue

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
-	

16 05 00 gases in pressure containers and discarded chemicals

16 05 04* gases in pressure containers (including halons) containing hazardous substances

· Uncleaned packaging:

• Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

14.1 UN-Number ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name ADR IMDG IATA	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS AEROSOLS, MARINE POLLUTANT AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR Class	2.1 5F
Label	2.1
IMDG	
Class	2.1
Label	2.1
Class	2.1
Label	2.1
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user EMS Number:	Not applicable. F-D,S-U
	(Contd. on pag

Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 12

Revision: 31.08.2020

Trade name: T65 Fleckenentf.Spray

	(Contd. of page
Stowage Code Segregation Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre Category A. For AEROSOLS with a capacity above 1 litre Category B. For WASTE AEROSOLS: Category C, Clea of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre:
	Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
Transport category Tunnel restriction code	2 (D)
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALL HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category

P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

 \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations:

· Regulation (EC) No 648/2004 on detergents / Labelling for contents	
aliphatic hydrocarbons	≥30%
perfumes (LIMONEN)	<5%
• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

(Contd. on page 9)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 12

Revision: 31.08.2020

Trade name: T65 Fleckenentf.Spray

(Contd. of page 8)

	s information is based on our present knowledge. However, this shall not constitute a guarantee for a
spec	ific product features and shall not establish a legally valid contractual relationship.
Rele	evant phrases
	20 Extremely flammable gas.
	25 Highly flammable liquid and vapour.
	26 Flammable liquid and vapour.
	80 Contains gas under pressure; may explode if heated.
	04 May be fatal if swallowed and enters airways.
	5 Causes skin irritation.
	7 May cause an allergic skin reaction.
	81 Toxic if inhaled.
	86 May cause drowsiness or dizziness.
H40	00 Very toxic to aquatic life.
H41	0 Very toxic to aquatic life with long lasting effects.
H41	1 Toxic to aquatic life with long lasting effects.
	reviations and acronyms:
	: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio
Carr	iage of Dangerous Goods by Road)
	G: International Maritime Code for Dangerous Goods
	: International Air Transport Association
GHS	: Globally Harmonised System of Classification and Labelling of Chemicals
	ECS: European Inventory of Existing Commercial Chemical Substances ICS: European List of Notified Chemical Substances
	Cost European Essi of Notfred Chemical Substances
	L: Derived No-Effect Level (REACH)
	C: Predicted No-Effect Concentration (REACH)
): Lethal concentration, 50 percent
	0: Lethal dose, 50 percent
	Persistent, Bioaccumulative and Toxic
Flan	8: very Persistent and very Bioaccumulative n. Gas 1: Flammable gases – Category 1
	sol 1: Aerosols – Category 1
	s. Gas (Comp.): Gases under pressure – Compressed gas
Flam	n. Liq. 2: Flammable liquids – Category 2
Flam	n. Liq. 3: Flammable liquids – Category 3
	e Tox. 3: Acute toxicity - inhalation – Category 3
	Irrit. 2: Skin corrosion/irritation – Category 2 Song Ly Skin convisiontion – Category 1
	Sens. 1: Skin sensitisation – Category 1 T SE 3: Specific target organ toxicity (single exposure) – Category 3
	Tox. 1: Aspiration hazard – Category 1
	itic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aqua	tic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aqua	ttic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
* D	ata compared to the previous version altered.