Page 1/8





Revision: 31.08.2020

Printing date 31.08.2020

Version number 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Z134 Saunaduftöl exotic
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Sauna Infusion concentrate
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Lasala AG

Wehntalerstrasse 113

8105 Regensdorf

- · Further information obtainable from: info@lasala.ch
- · 1.4 Emergency telephone number:

Centre suisse d'information toxicologique, Zurich

+41 (0)44 251 51 51 ou 145 (depuis la Suisse)

Schweizerisches Toxikologisches Informationszentrum, Zürich

+41 (0)44 251 51 51 oder aus der Schweiz: Tel 145

Centro Svizzero d'informazione tossicologica

+41 (0)44 251 51 51 o dalla Svizzera: Tel 145

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children. Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

Contains alpha-Hexylcinnamaldehyde, p-t-Butyl-alpha-methylhydrocinnamic aldehyde, Linalool, Geraniol, dl-Citronellol, (R)-p-mentha-1,8-diene, Coumarin, alpha-iso-Methylionone. May produce an allergic reaction.

(Contd. on page 2)

Printing date 31.08.2020 Version number 5 Revision: 31.08.2020

Trade name: Z134 Saunaduftöl exotic

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23	Propylene glycol substance with a Community workplace exposure limit	50-100%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225;	10%
CAS: 9043-30-5 NLP: 500-027-2	Alcohol C13-iso, ethoxylated 9.5 EO ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	≥1-≤2.5%
CAS: 101-86-0 EINECS: 202-983-3 Reg.nr.: 01-2119533092-50	alpha-Hexylcinnamaldehyde Skin Sens. 1, H317	≥0.1-<1%
CAS: 80-54-6 EINECS: 201-289-8 Reg.nr.: 01-2119485965-18	p-t-Butyl-alpha-methylhydrocinnamic aldehyde	≥0.1-<1%
CAS: 78-70-6 EINECS: 201-134-4 Reg.nr.: 01-2119474016-42	Linalool ♦ Skin Sens. 1B, H317	≥0.1-<1%
CAS: 106-22-9 EINECS: 203-375-0 Reg.nr.: 01-2119453995-23	dl-Citronellol ♦ Skin Sens. 1, H317	≥0.1-<1%
CAS: 106-24-1 EINECS: 203-377-1 Reg.nr.: 01-2119552430-49	Geraniol ♦ Skin Sens. 1, H317	≥0.1-<1%
CAS: 5989-27-5 EINECS: 227-813-5 Reg.nr.: 01-2119529223-47	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.25-<19
CAS: 91-64-5 EINECS: 202-086-7 Reg.nr.: 01-2119943756-26	Coumarin Acute Tox. 3, H301; Skin Sens. 1, H317	≥0.1-<1%
CAS: 127-51-5 EINECS: 204-846-3 Reg.nr.: 01-2120138569-45	alpha-iso-Methylionone Skin Sens. 1, H317	≥0.1-<1%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

 (Contd. on page 3)

Printing date 31.08.2020 Version number 5 Revision: 31.08.2020

Trade name: Z134 Saunaduftöl exotic

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace	ngredients with	limit values that i	equire monitoring	at the workplace:
--	-----------------	---------------------	-------------------	-------------------

57-55-6 Propylene glycol

WEL Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

· DNELs

67-63-0 propan-2-ol

Oral DNEL long term systemic effects 26 mg/kg bw/day (general population)

(Contd. on page 4)

Printing date 31.08.2020 Version number 5 Revision: 31.08.2020

Trade name: Z134 Saunaduftöl exotic

		(Contd. of page 3
Dermal DN	EL long term systemic effects	319 mg/kg bw/day (general population)
		888 mg/kg bw/day (workers)
Inhalative DN	EL long term systemic effects	89 mg/m3 (general population)
		500 mg/m3 (workers)
5989-27-5 (R)-	p-mentha-1,8-diene	
Inhalative DN	EL long term systemic effects	8.33 mg/m3 (general population)
		33.3 mg/m3 (workers)
PNECs		
67-63-0 propai	n-2-ol	
PNEC 140.9 mg/l (intermittent release)		
	2,251 mg/l (sewage plant)	
PNEC aqua	140.9 mg/l (fresh water)	
	140.9 mg/l (sea water)	
PNEC sedimen	t 552 mg/kg (fresh water)	
	552 mg/kg (sea water)	
PNEC ground	28 mg/kg (ground)	
5989-27-5 (R)-	p-mentha-1,8-diene	
PNEC aqua	0.0054 mg/l (fresh water)	
PNEC sedimen	t 1.32 mg/kg (fresh water)	
PNEC ground	262 mg/kg (ground)	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands: Protective gloves and protective skin cream
- · Material of gloves Rubber gloves
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Appearance:	
Form:	Fluid
Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C:	7

· Change in condition

. Canaval Information

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** 82 °C

· Flash point:	101 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	371 °C

(Contd. on page 5)

Printing date 31.08.2020 Version number 5 Revision: 31.08.2020

Trade name: Z134 Saunaduftöl exotic

	(Contd. of page
Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	2 Vol %
Upper:	12.6 Vol %
Vapour pressure at 20 °C:	43 hPa
Density at 20 °C:	0.991 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Partly soluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents:	78.3 %
Water:	0.2 %
Solids content:	0.6 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:		
	67-63-0 propan-2-ol		
Oral	LD50	5,280 mg/kg (Rat)	
Dermal	<i>LD50</i>	17,600 mg/kg (Rabbit)	
	5989-27-5 (R)-p-mentha-1,8-diene		
Oral	LD50	>2,000 mg/kg (Rat) >5,000 mg/kg (Rabbit)	
Dermal	<i>LD50</i>	>5,000 mg/kg (Rabbit)	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 31.08.2020 Version number 5 Revision: 31.08.2020

Trade name: Z134 Saunaduftöl exotic

(Contd. of page 5)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic tox	· Aquatic toxicity:			
67-63-0 pro	67-63-0 propan-2-ol			
EC50 (48h)	13,299 mg/l (Daphnia magna)			
LC50 (96h)	9,640 mg/l (Pimephales promelas)			
5989-27-5 (5989-27-5 (R)-p-mentha-1,8-diene			
EC50 (48h)	0.36 mg/l (Daphnia magna)			
EC50 (72h)	8 mg/l (Desomdemus subspicatus)			
LC50 (96h)	0.72 mg/l (Pimephales promelas)			

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European	waste catalogue
20 00 00	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00	separately collected fractions (except 15 01)
20 01 29*	detergents containing hazardous substances
	(Contd. on page 7)

Printing date 31.08.2020 Version number 5 Revision: 31.08.2020

Trade name: Z134 Saunaduftöl exotic

(Contd. of page 6)

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport informa	tion	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	n ex II of Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· National regulations:

· Regulation (EC) No 648/2004 on detergents / Labelling for contents	
perfumes	≥15 - <30%
non-ionic surfactants, HEXYL CINNAMAL, BUTYLPHENYL METHYLPROPIONAL, LINALOOL, CITRONELLOL, GERANIOL, LIMONEN, COUMARIN, BENZYL SALICYLATE, BENZYL BENZOATE, ALFA-ISOMETHYL IONONE, EUGENOL	

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

(Contd. on page 8)

Version number 5 Printing date 31.08.2020 Revision: 31.08.2020

Trade name: Z134 Saunaduftöl exotic

(Contd. of page 7)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 3: Acute toxicity - oral - Category 3

Acute Tox. 4: Acute toxicity - oral - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Ćategory 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

* * Data compared to the previous version altered.