Page 1/9

*

*



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

	tifier	
• Trade name: <u>Z16</u> • 1.2 Relevant iden No further relevant	66 Citrusreini atified uses of nt information	the substance or mixture and uses advised against
• 1.3 Details of the • Manufacturer/Su Lasala AG Wehntalerstrasse 8105 Regensdorf	113	he safety data sheet
1.4 Emergency te Centre suisse d'in +41 (0)44 251 51 Schweizerisches T	e lephone num formation tox 51 ou 145 (a Toxikologisch 51 oder aus l'informazione	sicologique, Zurich lepuis la Suisse) es Informationszentrum, Zürich der Schweiz: Tel 145 e tossicologica
SECTION 2: 1	Hazards ide	entification
· 2.1 Classification	of the substa	ance or mixture
· 2.1 Classification	n of the substa cording to Re	
• 2.1 Classification • Classification acc	a of the substa cording to Re ? flame	ance or mixture
2.1 Classification Classification acc GHS02 Aerosol 1	a of the substa cording to Re ? flame	ance or mixture gulation (EC) No 1272/2008 9 Extremely flammable aerosol. Pressurised container: May burst if heated.
2.1 Classification Classification acc GHS02 Aerosol 1	of the substa cording to Re flame H222-H22	ance or mixture gulation (EC) No 1272/2008 9 Extremely flammable aerosol. Pressurised container: May burst if heated.
2.1 Classification Classification act GHS02 Aerosol 1 Quatic Acute 1 Aquatic Chronic	of the substa cording to Re flame H222-H229 environment H400 1 H410	ance or mixture egulation (EC) No 1272/2008 9 Extremely flammable aerosol. Pressurised container: May burst if heated.
2.1 Classification Classification act GHS02 Aerosol 1 Aquatic Acute 1	of the substa cording to Re flame H222-H229 environment H400 1 H410	ance or mixture gulation (EC) No 1272/2008 9 Extremely flammable aerosol. Pressurised container: May burst if heated. Very toxic to aquatic life.
2.1 Classification Classification act GHS02 Aerosol 1 Quatic Acute 1 Aquatic Chronic	of the substa cording to Re flame H222-H229 environment H400 1 H410	ance or mixture gulation (EC) No 1272/2008 9 Extremely flammable aerosol. Pressurised container: May burst if heated. Very toxic to aquatic life.
2.1 Classification Classification act GHS02 Aerosol 1 Quatic Acute 1 Aquatic Chronic GHS07	of the substa cording to Re flame H222-H22 environment H400 1 H410	ance or mixture egulation (EC) No 1272/2008 9 Extremely flammable aerosol. Pressurised container: May burst if heated. 4 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
2.1 Classification Classification act GHS02 Aerosol 1 Aquatic Acute 1 Aquatic Chronic Skin Irrit. 2	of the substa cording to Re flame H222-H22 environment H400 1 H410 H315	 <i>ance or mixture</i> <i>by gulation (EC) No 1272/2008</i> <i>9 Extremely flammable aerosol. Pressurised container: May burst if heated.</i> <i>Very toxic to aquatic life.</i> <i>Very toxic to aquatic life with long lasting effects.</i> <i>Causes skin irritation.</i>
2.1 Classification Classification act GHS02 Aerosol 1 Aerosol 1 Aquatic Acute 1 Aquatic Chronic Skin Irrit. 2 Eye Irrit. 2 Skin Sens. 1 2.2 Label elemen Labelling accord	a of the substa cording to Re 2 flame H222-H22 0 environment H400 1 H410 1 H410 4 H315 H319 H317 ts ing to Regula assified and la ns GHS02, G	 ance or mixture gulation (EC) No 1272/2008 9 Extremely flammable aerosol. Pressurised container: May burst if heated. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. ation (EC) No 1272/2008 abelled according to the CLP regulation.

Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

(Contd. of page 1)

Trade name: Z166 Citrusreiniger Spray

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects. · Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210 smoking. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *P410+P412* Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Additional information: 69.9404983 % by mass of the contents are flammable Keep out of the reach of children · Results of PBT and vPvB assessment · **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 5989-27-5 (R)-p-mentha-1,8-diene EINECS: 227-813-5 Image: Flam. Liq. 3, H226; Aquatic Acute 1, H400; Aquatic Reg.nr.: 01-2119529223-47 Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	50-100%
CAS: 74-98-6 propane EINECS: 200-827-9 Reg.nr.: 01-2119486944-21 Flam. Gas 1, H220; Press. Gas (Comp.), H280	10-20%
CAS: 106-97-8 butane, pure EINECS: 203-448-7 Reg.nr.: 01-2119474691-32 (Comp.), H280	10-20%
CAS: 111-76-2 2-butoxyethanol EINECS: 203-905-0 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Reg.nr.: 01-2119475108-36 Skin Irrit. 2, H315; Eye Irrit. 2, H319	<i>≥</i> 5-<10%
CAS: 9043-30-5 Alcohol C13-iso, ethoxylated 5 EO NLP: 500-027-2 Eye Dam. 1, H318	≥2.5-<3%

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

GB

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

Trade name: Z166 Citrusreiniger Spray

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Storage class: 2 B

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

(Contd. of page 2)

Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

Trade name: Z166 Citrusreiniger Spray

8.1 Control parameters	(Contd. of page
Ingredients with limit values that require monitoring at the workplace:	
106-97-8 butane, pure	
WEL Short-term value: 1810 mg/m ³ , 750 ppm	
Long-term value: 1450 mg/m ³ , 600 ppm	
<i>Carc (if more than 0.1% of buta-1.3-diene)</i>	
111-76-2 2-butoxyethanol	
WEL Short-term value: 246 mg/m ³ , 50 ppm	
Long-term value: 123 mg/m³, 25 ppm Sk, BMGV	
DNELs	
5989-27-5 (R)-p-mentha-1,8-diene	
Inhalative DNEL long term systemic effects 8.33 mg/m3 (general population)	
33.3 mg/m3 (workers)	
PNECs	
5989-27-5 (R)-p-mentha-1,8-diene	
PNEC aqua 0.0054 mg/l (fresh water)	
PNEC sediment 1.32 mg/kg (fresh water)	
PNEC ground 262 mg/kg (ground)	
Ingredients with biological limit values:	
111-76-2 2-butoxyethanol	
BMGV 240 mmol/mol creatinine	
Medium: urine	
Sampling time: post shift	
Parameter: butoxyacetic acid	
Additional information: The lists valid during the making were used as basis.	
8.2 Exposure controls	
Personal protective equipment:	
<i>General protective and hygienic measures:</i> <i>Keep away from foodstuffs, beverages and feed.</i>	
Immediately remove all soiled and contaminated clothing	
Wash hands before breaks and at the end of work.	
Avoid contact with the skin.	
Avoid contact with the eyes and skin.	
Respiratory protection: Not required. Protection of hands:	
Protective gloves	
Material of gloves Rubber gloves	
Penetration time of glove material	
The exact break trough time has to be found out by the manufacturer of the protect observed.	ive gloves and has to
observea. Eye protection:	
Tightly sealed goggles	

(Contd. on page 5)

×

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

Trade name: Z166 Citrusreiniger Spray

(Contd. of page 4)

SECTION 9: Physical and chemic	cui properties
9.1 Information on basic physical and ch	hemical properties
General Information	
Appearance:	4 1
Form: Colour:	Aerosol Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	-
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	
Flash point:	1 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	240 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	0.7 Vol %
Upper:	10.9 Vol %
Vapour pressure at 20 °C:	8 hPa
Density at 20 °C:	0.755 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents:	96.7%
Water: 9.2 Other information	0.8 % No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

Trade name: Z166 Citrusreiniger Spray

(Contd. of page 5)

	ON 11: Toxicological information
	mation on toxicological effects icity Based on available data, the classification criteria are not met.
	values relevant for classification:
	<i>(R)-p-mentha-1,8-diene</i>
Oral	LD50 > 2,000 mg/kg (Rat)
Dermal	LD50 > 5,000 mg/kg (Rabbit)
	butane, pure
Inhalative	LC50/4 h 658 mg/l (Rat)
	rritant effect:
	psion/irritation
	in irritation.
	e damage/irritation
	rious eye irritation.
	ry or skin sensitisation e an allergic skin reaction.
	cts (carcinogenity, mutagenicity and toxicity for reproduction)
	mutagenicity Based on available data, the classification criteria are not met.
	enicity Based on available data, the classification criteria are not met.
	<i>tive toxicity</i> Based on available data, the classification criteria are not met.
	gle exposure Based on available data, the classification criteria are not met.
STOT-rep	eated exposure Based on available data, the classification criteria are not met.
Aspiration	1 hazard Based on available data, the classification criteria are not met.
· Aquatic to	sity vicity
-	exicity:
5989-27-5	xicity: 5 (R)-p-mentha-1,8-diene
5989-27-5 EC50 (48)	xicity: (R)-p-mentha-1,8-diene h) 0.36 mg/l (Daphnia magna)
5989-27-5 EC50 (48) EC50 (72)	xicity: (R)-p-mentha-1,8-diene h) 0.36 mg/l (Daphnia magna) h) 8 mg/l (Desomdemus subspicatus)
5989-27-5 EC50 (48) EC50 (72)	xicity: (R)-p-mentha-1,8-diene h) 0.36 mg/l (Daphnia magna)
5989-27-5 EC50 (48) EC50 (72) LC50 (96)	xicity: (R)-p-mentha-1,8-diene h) 0.36 mg/l (Daphnia magna) h) 8 mg/l (Desomdemus subspicatus)
5989-27-5 EC50 (48) EC50 (72) LC50 (96) · 12.2 Persi · 12.3 Bioad	in the second system
EC50 (48) EC50 (72) LC50 (96) • 12.2 Persi • 12.3 Bioac • 12.4 Mobi	 <i>ixicity:</i> <i>(R)-p-mentha-1,8-diene</i> <i>b</i> 0.36 mg/l (Daphnia magna) <i>8 mg/l</i> (Desomdemus subspicatus) <i>0.72 mg/l</i> (Pimephales promelas) <i>6stence and degradability</i> No further relevant information available. <i>ccumulative potential</i> No further relevant information available. <i>ility in soil</i> No further relevant information available.
5989-27-5 EC50 (48) EC50 (72) LC50 (96) · 12.2 Persi · 12.3 Bioad · 12.4 Mobi · Ecotoxica	 <i>i</i> (<i>R</i>)-<i>p</i>-<i>mentha</i>-1,8-<i>diene</i> <i>i</i> (<i>R</i>)-<i>p</i>-<i>mentha</i>-1,8-<i>diene</i> <i>i</i> 0.36 mg/l (Daphnia magna) <i>i</i> 8 mg/l (Desomdemus subspicatus) <i>i</i> 0.72 mg/l (Pimephales promelas) <i>i stence and degradability</i> No further relevant information available. <i>ccumulative potential</i> No further relevant information available. <i>i i soil</i> No further relevant information available. <i>i i ffects:</i>
5989-27-5 EC50 (48) EC50 (72) LC50 (96) 12.2 Persi 12.3 Bioac 12.4 Mobi Ecotoxica Remark: 12	 <i>i</i> (<i>R</i>)-<i>p</i>-<i>mentha</i>-1,8-<i>diene</i> <i>i</i> (<i>R</i>)-<i>p</i>-<i>mentha</i>-1,8-<i>diene</i> <i>i</i> 0.36 mg/l (Daphnia magna) <i>i</i> 8 mg/l (Desomdemus subspicatus) <i>i</i> 0.72 mg/l (Pimephales promelas) <i>i</i> 0.72 mg/l (Pimephales promelas) <i>i</i> stence and degradability No further relevant information available. <i>i ccumulative potential</i> No further relevant information available. <i>i i i i i i i i i i</i>
5989-27-5 EC50 (48) EC50 (72) LC50 (96) 12.2 Persi 12.3 Bioad 12.4 Mobi Ecotoxica Remark: 1 Additional	 <i>ixicity:</i> <i>(R)-p-mentha-1,8-diene</i> <i>b</i> 0.36 mg/l (Daphnia magna) <i>8 mg/l</i> (Desomdemus subspicatus) <i>0.72 mg/l</i> (Pimephales promelas) <i>istence and degradability</i> No further relevant information available. <i>istence potential</i> No further relevant information available. <i>ility in soil</i> No further relevant information available. <i>I effects:</i> <i>Toxic for fish</i> <i>I ecological information:</i>
5989-27-5 EC50 (48) EC50 (72) LC50 (96) 12.2 Persi 12.3 Bioad 12.4 Mobi Ecotoxica Remark: 1 Additional	i (R)-p-mentha-1,8-diene (n) 0.36 mg/l (Daphnia magna) (n) 0.36 mg/l (Desomdemus subspicatus) (n) 0.72 mg/l (Pimephales promelas) i i
5989-27-5 EC50 (481 EC50 (721 LC50 (964 12.2 Persi 12.3 Bioac 12.4 Mobi Ecotoxica Remark: 1 Additional General n Water haz	i (R)-p-mentha-1,8-diene (h) 0.36 mg/l (Daphnia magna) (h) 8 mg/l (Desomdemus subspicatus) (h) 0.72 mg/l (Pimephales promelas) (ii) 0.72 mg/l (Pimephales promelas) (iii) 0.72 mg/l (Discomdemus subspicatus) (iiii) 0.72 mg/l (Pimephales promelas) (iiiiiiii) 0.72 mg/l (Pimephales promelas) (iiiiiiiiii) 0.72 mg/l (Discomdemus subspicatus) (iiiiiiiiii) 0.72 mg/l (Pimephales promelas) (iiiiiiiiii) 0.72 mg/l (Pimephales promelas) (iiiiiiiiii) 0.72 mg/l (Pimephales promelas) (iiiiiiiiiiii) 0.72 mg/l (Pimephales promelas) (iiiiiiiiii) 0.72 mg/l (Pimephales promelas) (iiiiiiiiiiiiii) 0.72 mg/l (Pimephales promelas) (iiiiii) 0.72 mg/l (Pimephales promelas) (iiiiiiii) 0.72 mg/l (Pimephales promelas) (iiiiiiiii) 0.72 mg/l (Pimephales promelas) (iiiiii) 0.72 mg/l (Pimephales promelas) (iiiii) 0.60 mg/l (Pimephales promelas) (iiii) 0.60 mg/l (Pimephales promelas) (iiii) 0.60 mg/l (Pimephales promelas) (iiii) 0.60 mg/l (
5989-27-5 EC50 (481 EC50 (721 LC50 (964 12.2 Persi 12.3 Bioad 12.4 Mobi Ecotoxica Remark: 1 Additional General n Water haz Do not all	i (R)-p-mentha-1,8-diene (n) 0.36 mg/l (Daphnia magna) (h) 8 mg/l (Desomdemus subspicatus) (n) 0.72 mg/l (Pimephales promelas) (i) 0.50 further relevant information available. (i) i) i)
5989-27-5 EC50 (481 EC50 (721 LC50 (961 12.2 Persi 12.3 Bioad 12.4 Mobi Ecotoxica Cemeral n Water haz Do not all Danger to	i (R)-p-mentha-1,8-diene (i) 0.36 mg/l (Daphnia magna) (h) 8 mg/l (Desomdemus subspicatus) (i) 0.72 mg/l (Pimephales promelas) iii 0.72 mg/l (Pimephales promelas) istence and degradability No further relevant information available. ccumulative potential No further relevant information available. iiity in soil No further relevant information available. I effects: Toxic for fish I ecological information: otes: ard class 2 (German Regulation) (Self-assessment): hazardous for water ow product to reach ground water, water course or sewage system. drinking water if even small quantities leak into the ground.
5989-27-5 EC50 (481 EC50 (721 LC50 (961 12.2 Persi 12.3 Bioad 12.4 Mobi Ecotoxica Ceneral n Water haz Do not all Danger to Also poiso	xicity: (R)-p-mentha-1,8-diene h) 0.36 mg/l (Daphnia magna) 8 mg/l (Desomdemus subspicatus) h) 0.72 mg/l (Pimephales promelas) i) 0.72 mg/l (Pimephales promelas) istence and degradability No further relevant information available. ccumulative potential No further relevant information available. ility in soil No further relevant information available. l effects: Toxic for fish l ecological information: otes: ard class 2 (German Regulation) (Self-assessment): hazardous for water ow product to reach ground water, water course or sewage system. drinking water if even small quantities leak into the ground. mous for fish and plankton in water bodies.
5989-27-5 EC50 (481 EC50 (721 LC50 (964 12.2 Persi 12.3 Bioad 12.4 Mobi Ecotoxica Remark: 1 Additional General n Water haz Do not all Danger to Also poiso The surfac	if (R)-p-mentha-1,8-diene h) 0.36 mg/l (Daphnia magna) h) 8 mg/l (Desomdemus subspicatus) h) 0.72 mg/l (Pimephales promelas) istence and degradability No further relevant information available. ccumulative potential No further relevant information available. ity in soil No further relevant information available. I effects: Toxic for fish I ecological information: otes: ard class 2 (German Regulation) (Self-assessment): hazardous for water ow product to reach ground water, water course or sewage system. drinking water if even small quantities leak into the ground. mous for fish and plankton in water bodies. ctant(s) contained in this preparation complies(comply) with the biodegradability criteria as leaded.
5989-27-5 EC50 (481 EC50 (721 LC50 (96h · 12.2 Persi · 12.3 Bioad · 12.4 Mobi · Ecotoxica · Remark: 1 · Additional · General n Water haz Do not all Danger to Also poiso The surfac down in R	if (R)-p-mentha-1,8-diene (h) 0.36 mg/l (Daphnia magna) (h) 8 mg/l (Desomdemus subspicatus) (h) 8 mg/l (Pimephales promelas) (b) 0.72 mg/l (Pimephales promelas) (ccumulative potential No further relevant information available. ccumulative potential No further relevant information available. Ity in soil No further relevant information available. I effects: Toxic for fish I ecological information: otes: ard class 2 (German Regulation) (Self-assessment): hazardous for water ow product to reach ground water, water course or sewage system. drinking water if even small quantities leak into the ground. onous for fish and plankton in water bodies. ctant(s) contained in this preparation complies(comply) with the biodegradability criteria as la
5989-27-5 EC50 (48H EC50 (72H LC50 (96H 12.2 Persit 12.3 Bioad 12.4 Mobit Ecotoxica Remark: 1 Additional General n Water haz Do not all Danger to Also poiso The surfac down in R of the com	if (R)-p-mentha-1,8-diene (h) 0.36 mg/l (Daphnia magna) (h) 8 mg/l (Desomdemus subspicatus) (h) 8 mg/l (Pimephales promelas) (b) 0.72 mg/l (Pimephales promelas) (ccumulative potential No further relevant information available. ccumulative potential No further relevant information available. Ity in soil No further relevant information available. I effects: Toxic for fish I ecological information: otes: ard class 2 (German Regulation) (Self-assessment): hazardous for water ow product to reach ground water, water course or sewage system. drinking water if even small quantities leak into the ground. onous for fish and plankton in water bodies. ctant(s) contained in this preparation complies(comply) with the biodegradability criteria as la
5989-27-5 EC50 (48) EC50 (72) LC50 (96) 12.2 Persi 12.3 Bioad 12.4 Mobi Ecotoxica Remark: T Additional General n Water haz Do not all Danger to Also poiso The surfac down in R of the com or at the r Toxic for a	 <i>(R)-p-mentha-1,8-diene</i> <i>(R)-p-mentha-1,8-diene</i> <i>(R)-p-mentha-1,8-diene</i> <i>(R)-p-mentha-1,8-diene</i> <i>(R)-p-mentha-1,8-diene</i> <i>(D)</i> <i>8 mg/l (Daphnia magna)</i> <i>8 mg/l (Desomdemus subspicatus)</i> <i>0.72 mg/l (Pimephales promelas)</i> <i>(I)</i> <i>(I)</i><!--</td-->
5989-27-5 EC50 (48) EC50 (72) LC50 (96) 12.2 Persi 12.3 Bioad 12.4 Mobi Ecotoxica Remark: 1 Additional General n Water haz Do not all Danger to Also poiso The surfac down in R of the com or at the r Toxic for a 12.5 Resu	<i>(R)-p-mentha-1,8-diene (R)-p-mentha-1,8-diene (a)</i> 0.36 mg/l (Daphnia magna) <i>(b)</i> 8 mg/l (Desomdemus subspicatus) <i>(b)</i> 8 mg/l (Desomdemus subspicatus) <i>(c)</i> 0.72 mg/l (Pimephales promelas) <i>(stence and degradability</i> No further relevant information available. <i>(ccumulative potential</i> No further relevant information available. <i>(lity in soil</i> No further relevant information available. <i>l effects:</i> Toxic for fish <i>l ecological information: ots:</i> ard class 2 (German Regulation) (Self-assessment): hazardous for water ow product to reach ground water, water course or sewage system. <i>drinking water if even small quantities leak into the ground.</i> mous for fish and plankton in water bodies. <i>ctant(s)</i> contained in this preparation complies(comply) with the biodegradability criteria as la egulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposed potent authorities of the Member States and will be made available to them, at their direct required equest of a detergent manufacturer. aquatic organisms <i>lst of PBT and vPvB assessment</i>
5989-27-5 EC50 (481 EC50 (724 LC50 (96h 12.2 Persi 12.3 Bioad 12.4 Mobi Ecotoxica Remark: 1 Additional General n Water haz Do not all Danger to Also poiso The surfac down in R of the com or at the ry Toxic for c 12.5 Resu	Activity: Image: Constraint of the method is assessment in the made available is the made available is the made available. Image: Constraint of the method is the made available. Image: Constraint of the method is the made available. Image: Constraint of the method is the made available. Image: Constraint of the method is the made available. Image: Constraint of the method is the m
5989-27-5 EC50 (481 EC50 (724 LC50 (96h 12.2 Persi 12.3 Bioad 12.4 Mobi Ecotoxica Remark: 1 Additional General n Water haz Do not all Danger to Also poiso The surfac down in R of the com or at the ry Toxic for a 12.5 Resu	<i>(R)-p-mentha-1,8-diene (R)-p-mentha-1,8-diene (a)</i> 0.36 mg/l (Daphnia magna) <i>(b)</i> 8 mg/l (Desomdemus subspicatus) <i>(b)</i> 8 mg/l (Desomdemus subspicatus) <i>(c)</i> 0.72 mg/l (Pimephales promelas) <i>(stence and degradability</i> No further relevant information available. <i>(ccumulative potential</i> No further relevant information available. <i>(lity in soil</i> No further relevant information available. <i>l effects:</i> Toxic for fish <i>l ecological information: ots:</i> ard class 2 (German Regulation) (Self-assessment): hazardous for water ow product to reach ground water, water course or sewage system. <i>drinking water if even small quantities leak into the ground.</i> mous for fish and plankton in water bodies. <i>ctant(s)</i> contained in this preparation complies(comply) with the biodegradability criteria as la egulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposed petent authorities of the Member States and will be made available to them, at their direct requireed equest of a detergent manufacturer. aquatic organisms <i>ls of PBT and vPvB assessment</i>

Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

Trade name: Z166 Citrusreiniger Spray

· 12.6 Other adverse effects No further relevant information available.

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 00 00 WASTES NOT OTHERWISE SPECIFIED IN THE LIST

16 05 00 gases in pressure containers and discarded chemicals

16 05 04* gases in pressure containers (including halons) containing hazardous substances

• Uncleaned packaging:

· Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

14.1 UN-Number ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name ADR IMDG IATA	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS AEROSOLS, MARINE POLLUTANT AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class	2.1 5F
Label IMDG	2.1
Class Label	2.1 2.1
IATA	2.1
Class	2.1
Label	2.1
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	Yes Symbol (fish and tree)

Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

Trade name: Z166 Citrusreiniger Spray

	(Contd. of page
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Not applicable.
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre
	Category A. For AEROSOLS with a capacity above 1 litre
	Category B. For WASTE AEROSOLS: Category C, Clea of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre:
Segregation Coue	Segregation as for class 9. Stow "separated from" class
	except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
14.7 Transport in bulk according to Anne	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	(D)
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALL
-	HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- **REGULATION** (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· National regulations:

· Regulation (EC) No 648/2004 on detergents / Labelling for contents	
perfumes (LIMONEN), aliphatic hydrocarbons	≥30%
non-ionic surfactants	<5%
	(Contd. on page 9)

[·] Directive 2012/18/EU

[·] Named dangerous substances - ANNEX I None of the ingredients is listed.

[·] Seveso category

E1 Hazardous to the Aquatic Environment

P3a FLAMMABLE AEROSOLS

 $[\]cdot$ Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 19

Revision: 31.08.2020

Trade name: Z166 Citrusreiniger Spray

(Contd. of page 8)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas. H226 Flammable liquid and vapour. H280 Contains gas under pressure; may explode if heated. H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. • Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases - Category 1 Aerosol 1: Aerosols - Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - oral - Category 4 Acute Tox. 3: Acute toxicity - inhalation - Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 *Eye Irrit. 2: Serious eye damage/eye irritation – Category 2* Skin Sens. 1: Skin sensitisation - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

• * Data compared to the previous version altered.